Mail Center Specification Guide

EFFECTIVE 9.1.22

HAMILTON
CASEWORK SOLUTIONS

Hamilton Casework Solutions

Designed to Solve Your Workspace Needs

The HAMILTON mailroom line gives designers and end-users a modular, flexible and durable alternative to built-in millwork. Manufactured from laminate and aluminum extrusions, it provides the flexibility and strength needed for rigorous applications in document processing.

HAMILTON products are designed to meet the rigorous conditions of today's work environment.

For over 50 years, HAMILTON products have been designed and manufactured to provide the very finest in modular, flexible and durable solutions for the commercial workspace.

All of our casework is backed with HAMILTON's Limited Lifetime Warranty.

CONSTRUCTION

• Product is constructed of industrial grade 40-50 lb. substrate and aluminum extrusions.

• Ideal for high traffic areas, aluminum frame consoles withstand in excess of 1,000 lbs. Aluminum frames eliminate exposed edges and protect laminate work surfaces.

• A HAMILTON exclusive, the pin cam locking system safely secures sort module at any position on the console. The system easily readjusts toward the front or back to accommodate the reach of varying personnel.

• All module and riser edges are sealed with impact-resistant PVC for durability; there are no exposed edges on our casegoods.

• Wheels are standard options for HAMILTON's Masterseries and are available on all aluminum framed consoles.

Table of Contents

Terms and Definitions	4
Sort Modules	5
How to Specify	
Product Line	
Corner Consoles and Modules Guidelines	24
Freestanding Sort Modules	25
Module Accessories	28
How to Specify	
Product Line	
Bulk Sort	30
Product Line	
Consoles	31
How to Specify	
Product Line	
Specialty Consoles	40
How to Specify	
Product Line	
Intermediate Shelf	42f
How to Specify	
Product Line	
Selecting Console Accessories	46
How to Specify	
Product Line	
Platform	49
How to Specify	
Product Line	
EXECUTIVE SERIES	
Consoles	52
How to Specify	
Product Line	
Mail Stations	57
How to Specify	
Product Line	
Laminates	60
Green Initiatives	61
Sustainability Guidelines	62
Lifetime Guarantee	Back Cover

Terms and Definitions

The following glossary defines some of the basic components used in designing a ailCenter. Detailed dimensions and model numbers are indicated in the various sections of this price book.

MASTERseries




SORT MODULES One to six-sections wide, 18″ to 48″ high, with or without built-in risers. Support sorting shelves in 1″ vertical increments. Sort Modules lock to the aluminum console frame and are available with closed back on the HAMILTON Priority Program. Available with open backs and optional plexi-glass display boards and doors on standard lead-time.



FREESTANDING SORT MODULES A stand-alone version of our sort modules. Three and four sections wide, 48″ to 76" high. Available in full height or with optional bottom storage space on the HAMILTON Priority Program. Available with optional doors and sliding reference shelf on standard lead-time.



SORTING SHELVES Available in three basic sizes, shelves come with full-width label channels with clear plastic covers. Shelves are available in clear. Plastic shelves support up to 35 lbs., optional laminate shelves support up to 50 lbs., available on standard lead-time.
Standard: 10 3/4″ x 11 3/4″ for letter-size documents, literature and forms.
Legal: 10 3/4″ x 15 3/4″ for legal documents and spreadsheets.
Oversize: 12 3/4″ x 15 3/4″ for full-size overnight envelopes, computer printouts and newspapers.



READER STATION Reader Stations are sort modules with an opening to accommodate a computer monitor. Opening and binder shelf can be positioned left, right or center.



BULK SORT UNITS Units provide higher shelf clearances for sorting of larger packages. Available in desktop and freestanding units, with flat or angled shelves. Will accommodate a variety of tubs for bulk sorting large quantities of mail.



CONSOLES Used alone or to support sort modules. Available with optional half and full-depth shelves and sliding doors. Widths range from 24″ to 84″, depths between 24″ and 36″ and heights of 30″ and 36″. Ergonomically designed with clear, anodized-aluminum frame.



DUMP RIMS Securely lock to the aluminum console frame to contain mail dumped on the worksurface for sorting. Can be used on individual or ganged consoles.

INTERMEDIATE SHELVES Can be placed inside consoles with full-depth shelves or sliding doors for additional storage space. Can easily be removed and re-inserted. Are available in half and full-depths in sizes to fit all standa d-size consoles.



PLATFORMS Provide additional worksurface and clearance for machines. Lock into aluminum console frame for security. Available with optional aluminum extrusion for additional support and keyboard mounting.

Executive Series



CONSOLES Executive Consoles are light-use tables with no aluminum extrusions and are not intended for general mail center use. Available in a basic style, with a full shelf and a full shelf with doors. Consoles with half legs and corner Consoles can be combined to form a larger desking unit.



COUNTER CONSOLES Counter Consoles feature a standard console combined with a 16″ wide counter surface. Often used in reception areas, Counter Consoles are available in widths ranging from 48″ to 72″.




CREDENzAS Credenzas feature hinged doors, handles, a recessed 3″ kickplate, and interior adjustable shelving. They are also available with or without predrilled mail slots. (See Executive Mail Station for Credenza with slots.)




OVERHEAD UNITS Storing items overhead can dramatically increase available worksurface. Overhead units are available with hinged or retractable doors or even no doors at all. Optional accessories include fabric-covered tackboards and undersurface task lights.



STORAGE UNITS Lateral files a e available in two, three, and four drawer units while pedestals offer two and three drawer configurations. edestals are available in two heights, one of which permits undertable placement. Lateral files and pedestals all featu e gang locks and anti-tip mechanisms.




BOOKCASES Executive Series Bookcases feature extra-deep adjustable shelves to facilitate binder storage. Two widths and fi e heights combine to accommodate a variety of storage needs.



ExECUTIVE MAIL STATIONS Provide a central location for mail-drop off and collection on each floor or within each department. Not intended for heavy mail-room use. Executive console doors feature optional mail slots for outgoing mail drop-off. Laminated trim offers an executive look for front office envi onments.

Sort Modules

How to Specify Your Options



Riser Option	Pass Through
Closed	P03 = 3″ Open
E03 = 3″ Riser	P06 = 6″ Open
E06 = 6″ Riser	P12 = 12″ Open
E12 = 12″ Riser	P18 = 18″ Open
E18 = 18″ Riser	Leave blank if no riser desired.

Slot Type
S = Standard Size
L = Legal Size
O = Oversize

Sorting Height

Riser Option

Plexiglass Doors
F = Front
R = Rear
B = Both

Locks

Locks (per door)	
Model #	**Description**
T	Thumb Latch
K	Key Locks

O 3 - 3 6 P E 0 6 x F C T

Number of Columns

Back
C = Closed
O = Open
P = Plexiglass

Display Board
x = No Board
Y = Board

Plexiglass Color

Plexiglass Color	
Model #	**Description**
x	No
C	Clear
S	Smoke

See page 60 for color codes.

Notes

1. To calculate the sorting inches per column, take the total height of the unit, subtract any riser, subtract 2″ for the top and bottom of the unit. Example: S5-30E6; 36 (total height) - 6 (riser) - 2 (top & bottom) = 28 sorting inches per column x 5 columns = 140 total sorting inches.

2. Shelf supports are adjustable on 1″ increments.

3. Modules with sorting heights of 18″, 24″ and 30″ include fi e shelves per column, providing a total of six mail slots per column. Modules with sorting heights of 36″, 42″ and 48″ include seven shelves per column, providing a total of eight mail slots per column. Example: An S5-30 has fi e shelves for each of the fi e columns for a total of 25 shelves. Six slots for each of the fi e columns equal a total of 30 mail slots.

4. If a module has a riser, use the sorting height only to calculate the number of shelves included. Example:S5-30E6 has a total height of 36″ but a sorting height of only 30″. Five shelves are included with this module.

5. Additional shelves may be ordered if more slots are required. Shelves may also be deleted if fewer slots are required.

6. Inside Column Dimensions (between shelf supports)

Size	Inside Width	Inside Depth
Standard	10 1/8″	12″
Legal	10 1/8″	16″
Oversize	12 1/8″	16″

7. Modules with 6″ risers that are 54″ or more in width have a center riser leg. All modules with 12″ or 18″ risers feature a 2″ front fascia on the riser. (Clearance = riser height - 2″). All modules with 12″ or 18″ open risers have a 2″ fascia on the riser front and back. Open-back modules with no riser have a 2″ fascia across the upper rear. Open-back modules must have closed-back risers and modules with open-back risers must be closed back. These features help maintain stability of the unit.

8. If module is to be mounted in the center of the table, order a Cx console (centered modesty, pg. 39) for additional support.

9. Module width and depth cannot be modified. eduction in the height of the overall module or riser requires an upcharge.

10. When using a 3″ riser you can retain the overall height of the module, by adding 3″ to the sorting height. For example, an S5-42E6 would become an S5-45E3. .

11. Modules with 3″ risers are closed in the front and back of the riser and fasten to the console with a locking cam accessed from outside of the module.

12. All modules are shipped fully assembled. When getting freight quotes, specify Class 100. If dimensions are required, add 3″ to each dimension for packing materials.

Sort Modules

Standard Closed Back, No Riser



S4-36C

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18C	13 1/16	6	18	34
S2-18C	24 3/4	12	18	51
S3-18C	36 7/16	18	18	74
S4-18C	48 1/8	24	18	92
S5-18C	59 13/16	30	18	109
S6-18C	71 1/2	36	18	125
S1-24C	13 1/16	6	24	40
S2-24C	24 3/4	12	24	58
S3-24C	36 7/16	18	24	86
S4-24C	48 1/8	24	24	107
S5-24C	59 13/16	30	24	129
S6-24C	71 1/2	36	24	150
S1-30C	13 1/16	6	30	44
S2-30C	24 3/4	12	30	67
S3-30C	36 7/16	18	30	98
S4-30C	48 1/8	24	30	122
S5-30C	59 13/16	30	30	147
S6-30C	71 1/2	36	30	173
S1-36C	13 1/16	8	36	51
S2-36C	24 3/4	16	36	77
S3-36C	36 7/16	24	36	113
S4-36C	48 1/8	32	36	143
S5-36C	59 13/16	40	36	172
S6-36C	71 1/2	48	36	201
S1-42C	13 1/16	8	42	56
S2-42C	24 3/4	16	42	86
S3-42C	36 7/16	24	42	128
S4-42C	48 1/8	32	42	158
S5-42C	59 13/16	40	42	191
S6-42C	71 1/2	48	42	224
S1-48C	13 1/16	8	48	62
S2-48C	24 3/4	16	48	95
S3-48C	36 7/16	24	48	141
S4-48C	48 1/8	32	48	174
S5-48C	59 13/16	40	48	210
S6-48C	71 1/2	48	48	246

Depth on all Standard-Size Sort Modules is 12 7/8".

Standard Closed Back, 3" Riser



S4-36CE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18CE03	13 1/16	6	21	37
S2-18CE03	24 3/4	12	21	54
S3-18CE03	36 7/16	18	21	77
S4-18CE03	48 1/8	24	21	95
S5-18CE03	59 13/16	30	21	112
S6-18CE03	71 1/2	36	21	128

Standard Closed Back, 3" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-24CE03	13 1/16	6	27	43
S2-24CE03	24 3/4	12	27	61
S3-24CE03	36 7/16	18	27	89
S4-24CE03	48 1/8	24	27	110
S5-24CE03	59 13/16	30	27	132
S6-24CE03	71 1/2	36	27	153
S1-30CE03	13 1/16	6	33	47
S2-30CE03	24 3/4	12	33	70
S3-30CE03	36 7/16	18	33	101
S4-30CE03	48 1/8	24	33	125
S5-30CE03	59 13/16	30	33	150
S6-30CE03	71 1/2	36	33	176
S1-36CE03	13 1/16	8	39	54
S2-36CE03	24 3/4	16	39	80
S3-36CE03	36 7/16	24	39	116
S4-36CE03	48 1/8	32	39	146
S5-36CE03	59 13/16	40	39	175
S6-36CE03	71 1/2	48	39	204
S1-42CE03	13 1/16	8	45	59
S2-42CE03	24 3/4	16	45	89
S3-42CE03	36 7/16	24	45	131
S4-42CE03	48 1/8	32	45	161
S5-42CE03	59 13/16	40	45	194
S6-42CE03	71 1/2	48	45	227

Depth on all Standard-Size Sort Modules is 12 7/8".
For open riser, change model # to P
(for pass-through).

Standard Closed Back, 6" Riser



S3-30CE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18CE06	13 1/16	6	24	39
S2-18CE06	24 3/4	12	24	56
S3-18CE06	36 7/16	18	24	81
S4-18CE06	48 1/8	24	24	100
S5-18CE06	59 13/16	30	24	122
S6-18CE06	71 1/2	36	24	144
S1-24CE06	13 1/16	6	30	44
S2-24CE06	24 3/4	12	30	65
S3-24CE06	36 7/16	18	30	95
S4-24CE06	48 1/8	24	30	117
S5-24CE06	59 13/16	30	30	141
S6-24CE06	71 1/2	36	30	165
S1-30CE06	13 1/16	6	36	48
S2-30CE06	24 3/4	12	36	73
S3-30CE06	36 7/16	18	36	107
S4-30CE06	48 1/8	24	36	132
S5-30CE06	59 13/16	30	36	160
S6-30CE06	71 1/2	36	36	188
S1-36CE06	13 1/16	8	42	56

Standard Closed Back, 6" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S2-36CE06	24 3/4	16	42	84
S3-36CE06	36 7/16	24	42	122
S4-36CE06	48 1/8	32	42	153
S5-36CE06	59 13/16	40	42	185
S6-36CE06	71 1/2	48	42	218
S1-42CE06	13 1/16	8	48	64
S2-42CE06	24 3/4	16	48	95
S3-42CE06	36 7/16	24	48	138
S4-42CE06	48 1/8	32	48	173
S5-42CE06	59 13/16	40	48	185
S6-42CE06	71 1/2	48	48	197

Depth on all Standard-Size Sort Modules is 12 7/8".
For open riser, change model # to P
(for pass-through).

Standard Closed Back, 12" Riser



S4-24CE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18CE12	13 1/16	6	30	44
S2-18CE12	24 3/4	12	30	63
S3-18CE12	36 7/16	18	30	89
S4-18CE12	48 1/8	24	30	110
S5-18CE12	59 13/16	30	30	134
S6-18CE12	71 1/2	36	30	158
S1-24CE12	13 1/16	6	36	48
S2-24CE12	24 3/4	12	36	70
S3-24CE12	36 7/16	18	36	101
S4-24CE12	48 1/8	24	36	125
S5-24CE12	59 13/16	30	36	154
S6-24CE12	71 1/2	36	36	182
S1-30CE12	13 1/16	6	42	55
S2-30CE12	24 3/4	12	42	79
S3-30CE12	36 7/16	18	42	113
S4-30CE12	48 1/8	24	42	142
S5-30CE12	59 13/16	30	42	173
S6-30CE12	71 1/2	36	42	205
S1-36CE12	13 1/16	8	48	62
S2-36CE12	24 3/4	16	48	88
S3-36CE12	36 7/16	24	48	125
S4-36CE12	48 1/8	32	48	157
S5-36CE12	59 13/16	40	48	193
S6-36CE12	71 1/2	48	48	228

Depth on all Standard-Size Sort Modules is 12 7/8".
For open riser, change model # to P
(for pass-through).

Standard Closed Back, 18" Riser



S4-30CE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18CE18	13 1/16	6	36	47
S2-18CE18	24 3/4	12	36	68
S3-18CE18	36 7/16	18	36	98
S4-18CE18	48 1/8	24	36	120
S5-18CE18	59 13/16	30	36	147
S6-18CE18	71 1/2	36	36	176
S1-24CE18	13 1/16	6	42	54
S2-24CE18	24 3/4	12	42	77
S3-24CE18	36 7/16	18	42	110
S4-24CE18	48 1/8	24	42	135
S5-24CE18	59 13/16	30	42	167
S6-24CE18	71 1/2	36	42	198
S1-30CE18	13 1/16	6	48	61
S2-30CE18	24 3/4	12	48	86
S3-30CE18	36 7/16	18	48	122
S4-30CE18	48 1/8	24	48	152
S5-30CE18	59 13/16	30	48	186
S6-30CE18	71 1/2	36	48	221

Depth on all Standard-Size Sort Modules is 12 7/8".
For open riser, change model # to P
(for pass-through).

Standard Open Back, No Riser



S4-300

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-180	13 1/16	6	18	34
S2-180	24 3/4	12	18	51
S3-180	36 7/16	18	18	74
S4-180	48 1/8	24	18	92
S5-180	59 13/16	30	18	109
S6-180	71 1/2	36	18	125
S1-240	13 1/16	6	24	40
S2-240	24 3/4	12	24	58
S3-240	36 7/16	18	24	86
S4-240	48 1/8	24	24	107
S5-240	59 13/16	30	24	129
S6-240	71 1/2	36	24	150
S1-300	13 1/16	6	30	44
S2-300	24 3/4	12	30	67
S3-300	36 7/16	18	30	98
S4-300	48 1/8	24	30	122
S5-300	59 13/16	30	30	147
S6-300	71 1/2	36	30	173
S1-360	13 1/16	8	36	51
S2-360	24 3/4	16	36	77
S3-360	36 7/16	24	36	113
S4-360	48 1/8	32	36	143
S5-360	59 13/16	40	36	172
S6-360	71 1/2	48	36	201
S1-420	13 1/16	8	42	56

Standard Open Back, No Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S2-420	24 3/4	16	42	86
S3-420	36 7/16	24	42	128
S4-420	48 1/8	32	42	158
S5-420	59 13/16	40	42	191
S6-420	71 1/2	48	42	224
S1-480	13 1/16	8	48	62
S2-480	24 3/4	16	48	95
S3-480	36 7/16	24	48	141
S4-480	48 1/8	32	48	174
S5-480	59 13/16	40	48	210
S6-480	71 1/2	48	48	246

Depth on all Standard-Size Sort Modules is 12 7/8".
Open back risers are not available on open back modules.

Standard Open Back, 3" Riser



S4-30OE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18OE03	13 1/16	6	21	36
S2-18OE03	24 3/4	12	21	53
S3-18OE03	36 7/16	18	21	78
S4-18OE03	48 1/8	24	21	97
S5-18OE03	59 13/16	30	21	119
S6-18OE03	71 1/2	36	21	141
S1-24OE03	13 1/16	6	27	41
S2-24OE03	24 3/4	12	27	62
S3-24OE03	36 7/16	18	27	92
S4-24OE03	48 1/8	24	27	114
S5-24OE03	59 13/16	30	27	138
S6-24OE03	71 1/2	36	27	162
S1-30OE03	13 1/16	6	33	45
S2-30OE03	24 3/4	12	33	70
S3-30OE03	36 7/16	18	33	104
S4-30OE03	48 1/8	24	33	129
S5-30OE03	59 13/16	30	33	157
S6-30OE03	71 1/2	36	33	185
S1-36OE03	13 1/16	8	39	53
S2-36OE03	24 3/4	16	39	81
S3-36OE03	36 7/16	24	39	119
S4-36OE03	48 1/8	32	39	150
S5-36OE03	59 13/16	40	39	182
S6-36OE03	71 1/2	48	39	215
S1-42OE03	13 1/16	8	45	61
S2-42OE03	24 3/4	16	45	92
S3-42OE03	36 7/16	24	45	135
S4-42OE03	48 1/8	32	45	170
S5-42OE03	59 13/16	40	45	182
S6-42OE03	71 1/2	48	45	194

Depth on all Standard-Size Sort Modules is 12 7/8".
Open back risers are not available on open back modules.

Standard Open Back, 6" Riser



S4-30OE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18OE06	13 1/16	6	24	39
S2-18OE06	24 3/4	12	24	56
S3-18OE06	36 7/16	18	24	81
S4-18OE06	48 1/8	24	24	100
S5-18OE06	59 13/16	30	24	122
S6-18OE06	71 1/2	36	24	144
S1-24OE06	13 1/16	6	30	44
S2-24OE06	24 3/4	12	30	65
S3-24OE06	36 7/16	18	30	95
S4-24OE06	48 1/8	24	30	117
S5-24OE06	59 13/16	30	30	141
S6-24OE06	71 1/2	36	30	165
S1-30OE06	13 1/16	6	36	48
S2-30OE06	24 3/4	12	36	73
S3-30OE06	36 7/16	18	36	107
S4-30OE06	48 1/8	24	36	132
S5-30OE06	59 13/16	30	36	160
S6-30OE06	71 1/2	36	36	188
S1-36OE06	13 1/16	8	42	56
S2-36OE06	24 3/4	16	42	84
S3-36OE06	36 7/16	24	42	122
S4-36OE06	48 1/8	32	42	153
S5-36OE06	59 13/16	40	42	185
S6-36OE06	71 1/2	48	42	218
S1-42OE06	13 1/16	8	48	64
S2-42OE06	24 3/4	16	48	95
S3-42OE06	36 7/16	24	48	138
S4-42OE06	48 1/8	32	48	173
S5-42OE06	59 13/16	40	48	185
S6-42OE06	71 1/2	48	48	197

Depth on all Standard-Size Sort Modules is 12 7/8".
Open back risers are not available on open back modules.

Standard Open Back, 12" Riser



S3-24OE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18OE12	13 1/16	6	30	44
S2-18OE12	24 3/4	12	30	63
S3-18OE12	36 7/16	18	30	89
S4-18OE12	48 1/8	24	30	110
S5-18OE12	59 13/16	30	30	134
S6-18OE12	71 1/2	36	30	158
S1-24OE12	13 1/16	6	36	48
S2-24OE12	24 3/4	12	36	70
S3-24OE12	36 7/16	18	36	101
S4-24OE12	48 1/8	24	36	125
S5-24OE12	59 13/16	30	36	154
S6-24OE12	71 1/2	36	36	182
S1-30OE12	13 1/16	6	42	55

Standard Open Back, 12" Riser (cont.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S2-30OE12	24 3/4	12	42	79
S3-30OE12	36 7/16	18	42	113
S4-30OE12	48 1/8	24	42	142
S5-30OE12	59 13/16	30	42	173
S6-30OE12	71 1/2	36	42	205
S1-36OE12	13 1/16	8	48	62
S2-36OE12	24 3/4	16	48	88
S3-36OE12	36 7/16	24	48	125
S4-36OE12	48 1/8	32	48	157
S5-36OE12	59 13/16	40	48	193
S6-36OE12	71 1/2	48	48	228

Depth on all Standard-Size Sort Modules is 12 7/8".
Open back risers are not available on open back modules.

Standard Open Back, 18" Riser



S4-24OE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18OE18	13 1/16	6	36	47
S2-18OE18	24 3/4	12	36	68
S3-18OE18	36 7/16	18	36	98
S4-18OE18	48 1/8	24	36	120
S5-18OE18	59 13/16	30	36	147
S6-18OE18	71 1/2	36	36	176
S1-24OE18	13 1/16	6	42	54
S2-24OE18	24 3/4	12	42	77
S3-24OE18	36 7/16	18	42	110
S4-24OE18	48 1/8	24	42	135
S5-24OE18	59 13/16	30	42	167
S6-24OE18	71 1/2	36	42	198
S1-30OE18	13 1/16	6	48	61
S2-30OE18	24 3/4	12	48	86
S3-30OE18	36 7/16	18	48	122
S4-30OE18	48 1/8	24	48	152
S5-30OE18	59 13/16	30	48	186
S6-30BE18	71 1/2	36	48	221

Depth on all Standard-Size Sort Modules is 12 7/8".
Open back risers are not available on open back modules.

Standard Plexiglass Back, No Riser



S4-36P

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18P	13 1/16	6	18	34
S2-18P	24 3/4	12	18	51
S3-18P	36 7/16	18	18	67
S4-18P	48 1/8	24	18	84
S5-18P	59 13/16	30	18	99
S6-18P	71 1/2	36	18	114
S1-24P	13 1/16	6	24	40
S2-24P	24 3/4	12	24	58
S3-24P	36 7/16	18	24	78

Standard Plexiglass Back, No Riser (cont.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S4-24P	48 1/8	24	24	97
S5-24P	59 13/16	30	24	117
S6-24P	71 1/2	36	24	136
S1-30P	13 1/16	6	30	44
S2-30P	24 3/4	12	30	67
S3-30P	36 7/16	18	30	89
S4-30P	48 1/8	24	30	111
S5-30P	59 13/16	30	30	134
S6-30P	71 1/2	36	30	157
S1-36P	13 1/16	8	36	51
S2-36P	24 3/4	16	36	77
S3-36P	36 7/16	24	36	103
S4-36P	48 1/8	32	36	130
S5-36P	59 13/16	40	36	156
S6-36P	71 1/2	48	36	183
S1-42P	13 1/16	8	42	56
S2-42P	24 3/4	16	42	86
S3-42P	36 7/16	24	42	116
S4-42P	48 1/8	32	42	144
S5-42P	59 13/16	40	42	174
S6-42P	71 1/2	48	42	204
S1-48P	13 1/16	8	48	62
S2-48P	24 3/4	16	48	95
S3-48P	36 7/16	24	48	128
S4-48P	48 1/8	32	48	158
S5-48P	59 13/16	40	48	191
S6-48P	71 1/2	48	48	224

Depth on all Standard-Size Sort Modules is 12 7/8".

Standard Plexiglass Back, 3" Riser



S4-36PE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18PE03	13 1/16	6	21	37
S2-18PE03	24 3/4	12	21	54
S3-18PE03	36 7/16	18	21	70
S4-18PE03	48 1/8	24	21	87
S5-18PE03	59 13/16	30	21	102
S6-18PE03	71 1/2	36	21	117
S1-24PE03	13 1/16	6	27	43
S2-24PE03	24 3/4	12	27	61
S3-24PE03	36 7/16	18	27	81
S4-24PE03	48 1/8	24	27	100
S5-24PE03	59 13/16	30	27	120
S6-24PE03	71 1/2	36	27	139
S1-30PE03	13 1/16	6	33	47
S2-30PE03	24 3/4	12	33	70
S3-30PE03	36 7/16	18	33	92
S4-30PE03	48 1/8	24	33	114
S5-30PE03	59 13/16	30	33	137
S6-30PE03	71 1/2	36	33	160

Standard Plexiglass Back, 3" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-36PE03	13 1/16	8	39	54
S2-36PE03	24 3/4	16	39	80
S3-36PE03	36 7/16	24	39	106
S4-36PE03	48 1/8	32	39	133
S5-36PE03	59 13/16	40	39	159
S6-36PE03	71 1/2	48	39	186
S1-42PE03	13 1/16	8	45	59
S2-42PE03	24 3/4	16	45	89
S3-42PE03	36 7/16	24	45	119
S4-42PE03	48 1/8	32	45	147
S5-42PE03	59 13/16	40	45	177
S6-42PE03	71 1/2	48	45	207

Depth on all Standard-Size Sort Modules is 12 7/8".
For open riser, change model # to P
(for pass-through).

Standard Plexiglass Back, 6" Riser



S4-30PE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18PE06	13 1/16	6	24	39
S2-18PE06	24 3/4	12	24	56
S3-18PE06	36 7/16	18	24	74
S4-18PE06	48 1/8	24	24	91
S5-18PE06	59 13/16	30	24	111
S6-18PE06	71 1/2	36	24	131
S1-24PE06	13 1/16	6	30	44
S2-24PE06	24 3/4	12	30	65
S3-24PE06	36 7/16	18	30	86
S4-24PE06	48 1/8	24	30	106
S5-24PE06	59 13/16	30	30	128
S6-24PE06	71 1/2	36	30	150
S1-30PE06	13 1/16	6	36	48
S2-30PE06	24 3/4	12	36	73
S3-30PE06	36 7/16	18	36	97
S4-30PE06	48 1/8	24	36	120
S5-30PE06	59 13/16	30	36	145
S6-30PE06	71 1/2	36	36	171
S1-36PE06	13 1/16	8	42	56
S2-36PE06	24 3/4	16	42	84
S3-36PE06	36 7/16	24	42	111
S4-36PE06	48 1/8	32	42	139
S5-36PE06	59 13/16	40	42	168
S6-36PE06	71 1/2	48	42	198
S1-42PE06	13 1/16	8	48	64
S2-42PE06	24 3/4	16	48	95
S3-42PE06	36 7/16	24	48	125
S4-42PE06	48 1/8	32	48	157

Standard Plexiglass Back, 6" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S5-42PE06	59 13/16	40	48	191
S6-42PE06	71 1/2	48	48	226

Depth on all Standard-Size Sort Modules is 12 7/8".
For open riser, change model # to P
(for pass-through).

Standard Plexiglass Back, 12" Riser



S4-30PE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18PE12	13 1/16	6	30	44
S2-18PE12	24 3/4	12	30	63
S3-18PE12	36 7/16	18	30	81
S4-18PE12	48 1/8	24	30	100
S5-18PE12	59 13/16	30	30	122
S6-18PE12	71 1/2	36	30	144
S1-24PE12	13 1/16	6	36	48
S2-24PE12	24 3/4	12	36	70
S3-24PE12	36 7/16	18	36	92
S4-24PE12	48 1/8	24	36	114
S5-24PE12	59 13/16	30	36	140
S6-24PE12	71 1/2	36	36	165
S1-30PE12	13 1/16	6	42	55
S2-30PE12	24 3/4	12	42	79
S3-30PE12	36 7/16	18	42	103
S4-30PE12	48 1/8	24	42	129
S5-30PE12	59 13/16	30	42	157
S6-30PE12	71 1/2	36	42	186
S1-36PE12	13 1/16	8	48	62
S2-36PE12	24 3/4	16	48	88
S3-36PE12	36 7/16	24	48	114
S4-36PE12	48 1/8	32	48	143
S5-36PE12	59 13/16	40	48	175
S6-36PE12	71 1/2	48	48	207

Depth on all Standard-Size Sort Modules is 12 7/8".
For open riser, change model # to P
(for pass-through).

Standard Plexiglass Back, 18" Riser



S4-24PE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18PE18	13 1/16	6	36	47
S2-18PE18	24 3/4	12	36	68
S3-18PE18	36 7/16	18	36	98
S4-18PE18	48 1/8	24	36	109
S5-18PE18	59 13/16	30	36	134
S6-18PE18	71 1/2	36	36	160
S1-24PE18	13 1/16	6	42	59
S2-24PE18	24 3/4	12	42	77
S3-24PE18	36 7/16	18	42	95
S4-24PE18	48 1/8	24	42	123
S5-24PE18	59 13/16	30	42	152

Standard Plexiglass Back, 18" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S6-24PE18	71 1/2	36	42	180
S1-30PE18	13 1/16	6	48	54
S2-30PE18	24 3/4	12	48	77
S3-30PE18	36 7/16	18	48	100
S4-30PE18	48 1/8	24	48	138
S5-30PE18	59 13/16	30	48	169
S6-30PE18	71 1/2	36	48	201

Depth on all Standard-Size Sort Modules is 12 7/8".
For open riser, change model # to P
(for pass-through).

Legal Closed Back, No Riser



L4-36C

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18C	13 1/16	6	18	40
L2-18C	24 3/4	12	18	59
L3-18C	36 7/16	18	18	87
L4-18C	48 1/8	24	18	109
L5-18C	59 13/16	30	18	131
L6-18C	71 1/2	36	18	153
L1-24C	13 1/16	6	24	46
L2-24C	24 3/4	12	24	69
L3-24C	36 7/16	18	24	103
L4-24C	48 1/8	24	24	129
L5-24C	59 13/16	30	24	155
L6-24C	71 1/2	36	24	182
L1-30C	13 1/16	6	30	53
L2-30C	24 3/4	12	30	80
L3-30C	36 7/16	18	30	119
L4-30C	48 1/8	24	30	147
L5-30C	59 13/16	30	30	178
L6-30C	71 1/2	36	30	208
L1-36C	13 1/16	8	36	61
L2-36C	24 3/4	16	36	92
L3-36C	36 7/16	24	36	136
L4-36C	48 1/8	32	36	172
L5-36C	59 13/16	40	36	207
L6-36C	71 1/2	48	36	242
L1-42C	13 1/16	8	42	68
L2-42C	24 3/4	16	42	103
L3-42C	36 7/16	24	42	153
L4-42C	48 1/8	32	42	191
L5-42C	59 13/16	40	42	231
L6-42C	71 1/2	48	42	271
L1-48C	13 1/16	8	48	76
L2-48C	24 3/4	16	48	114
L3-48C	36 7/16	24	48	168
L4-48C	48 1/8	32	48	210
L5-48C	59 13/16	40	48	242
L6-48C	71 1/2	48	48	300

Depth on all Legal-Size Sort Modules is 16 7/8".

Legal Closed Back, 3" Riser



L4-36CE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18CE03	13 1/16	6	21	43
L2-18CE03	24 3/4	12	21	62
L3-18CE03	36 7/16	18	21	90
L4-18CE03	48 1/8	24	21	112
L5-18CE03	59 13/16	30	21	134
L6-18CE03	71 1/2	36	21	156
L1-24CE03	13 1/16	6	27	49
L2-24CE03	24 3/4	12	27	72
L3-24CE03	36 7/16	18	27	106
L4-24CE03	48 1/8	24	27	132
L5-24CE03	59 13/16	30	27	158
L6-24CE03	71 1/2	36	27	185
L1-30CE03	13 1/16	6	33	56
L2-30CE03	24 3/4	12	33	83
L3-30CE03	36 7/16	18	33	122
L4-30CE03	48 1/8	24	33	150
L5-30CE03	59 13/16	30	33	181
L6-30CE03	71 1/2	36	33	211
L1-36CE03	13 1/16	8	39	64
L2-36CE03	24 3/4	16	39	95
L3-36CE03	36 7/16	24	39	139
L4-36CE03	48 1/8	32	39	175
L5-36CE03	59 13/16	40	39	210
L6-36CE03	71 1/2	48	39	245
L1-42CE03	13 1/16	8	45	71
L2-42CE03	24 3/4	16	45	106
L3-42CE03	36 7/16	24	45	156
L4-42CE03	48 1/8	32	45	194
L5-42CE03	59 13/16	40	45	234
L6-42CE03	71 1/2	48	45	274

Depth on all Legal-Size Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Legal Closed Back, 6" Riser



L4-24CE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18CE06	13 1/16	6	24	45
L2-18CE06	24 3/4	12	24	67
L3-18CE06	36 7/16	18	24	97
L4-18CE06	48 1/8	24	24	120
L5-18CE06	59 13/16	30	24	145
L6-18CE06	71 1/2	36	24	171
L1-24CE06	13 1/16	6	30	52
L2-24CE06	24 3/4	12	30	77
L3-24CE06	36 7/16	18	30	112
L4-24CE06	48 1/8	24	30	140
L5-24CE06	59 13/16	30	30	169
L6-24CE06	71 1/2	36	30	200
L1-30CE06	13 1/16	6	36	58

Legal Closed Back, 6" Riser (con't.)

MODEL #	WIDTH	SLOTs	HEIGHT	WEIGHT
L2-30CE06	24 3/4	12	36	87
L3-30CE06	36 7/16	18	36	128
L4-30CE06	48 1/8	24	36	158
L5-30CE06	59 13/16	30	36	193
L6-30CE06	71 1/2	36	36	227
L1-36CE06	13 1/16	8	42	67
L2-36CE06	24 3/4	16	42	100
L3-36CE06	36 7/16	24	42	146
L4-36CE06	48 1/8	32	42	183
L5-36CE06	59 13/16	40	42	221
L6-36CE06	71 1/2	48	42	261
L1-42CE06	13 1/16	8	48	76
L2-42CE06	24 3/4	16	48	113
L3-42CE06	36 7/16	24	48	166
L4-42CE06	48 1/8	32	48	207
L5-42CE06	59 13/16	40	48	221
L6-42CE06	71 1/2	48	48	237

Depth on all Legal-Size Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Legal Closed Back, 12" Riser



L4-30CE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18CE12	13 1/16	6	30	52
L2-18CE12	24 3/4	12	30	74
L3-18CE12	36 7/16	18	30	107
L4-18CE12	48 1/8	24	30	131
L5-18CE12	59 13/16	30	30	161
L6-18CE12	71 1/2	36	30	191
L1-24CE12	13 1/16	6	36	59
L2-24CE12	24 3/4	12	36	85
L3-24CE12	36 7/16	18	36	121
L4-24CE12	48 1/8	24	36	150
L5-24CE12	59 13/16	30	36	184
L6-24CE12	71 1/2	36	36	218
L1-30CE12	13 1/16	6	42	65
L2-30CE12	24 3/4	12	42	95
L3-30CE12	36 7/16	18	42	136
L4-30CE12	48 1/8	24	42	169
L5-30CE12	59 13/16	30	42	207
L6-30CE12	71 1/2	36	42	244
L1-36CE12	13 1/16	8	48	70
L2-36CE12	24 3/4	16	48	105
L3-36CE12	36 7/16	24	48	153
L4-36CE12	48 1/8	32	48	189
L5-36CE12	59 13/16	40	48	230
L6-36CE12	71 1/2	48	48	271

Depth on all Legal-Size Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Legal Closed Back, 18" Riser



L4-30CE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18CE18	13 1/16	6	36	57
L2-18CE18	24 3/4	12	36	81
L3-18CE18	36 7/16	18	36	117
L4-18CE18	48 1/8	24	36	142
L5-18CE18	59 13/16	30	36	176
L6-18CE18	71 1/2	36	36	209
L1-24CE18	13 1/16	6	42	64
L2-24CE18	24 3/4	12	42	91
L3-24CE18	36 7/16	18	42	131
L4-24CE18	48 1/8	24	42	161
L5-24CE18	59 13/16	30	42	198
L6-24CE18	71 1/2	36	42	237
L1-30CE18	13 1/16	6	48	70
L2-30CE18	24 3/4	12	48	101
L3-30CE18	36 7/16	18	48	145
L4-30CE18	48 1/8	24	48	180
L5-30CE18	59 13/16	30	48	221
L6-30CE18	71 1/2	36	48	263

Depth on all Legal-Size Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Legal Open Back, No Riser



L4-300

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-180	13 1/16	6	18	40
L2-180	24 3/4	12	18	59
L3-180	36 7/16	18	18	87
L4-180	48 1/8	24	18	109
L5-180	59 13/16	30	18	131
L6-180	71 1/2	36	18	153
L1-240	13 1/16	6	24	46
L2-240	24 3/4	12	24	69
L3-240	36 7/16	18	24	103
L4-240	48 1/8	24	24	129
L5-240	59 13/16	30	24	155
L6-240	71 1/2	36	24	182
L1-300	13 1/16	6	30	53
L2-300	24 3/4	12	30	80
L3-300	36 7/16	18	30	119
L4-300	48 1/8	24	30	147
L5-300	59 13/16	30	30	178
L6-300	71 1/2	36	30	208
L1-360	13 1/16	8	36	61
L2-360	24 3/4	16	36	92
L3-360	36 7/16	24	36	136
L4-360	48 1/8	32	36	172
L5-360	59 13/16	40	36	207
L6-360	71 1/2	48	36	242
L1-420	13 1/16	8	42	68

Legal Open Back, No Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L2-420	24 3/4	16	42	103
L3-420	36 7/16	24	42	153
L4-420	48 1/8	32	42	191
L5-420	59 13/16	40	42	231
L6-420	71 1/2	48	42	271
L1-480	13 1/16	8	48	76
L2-480	24 3/4	16	48	114
L3-480	36 7/16	24	48	168
L4-480	48 1/8	32	48	210
L5-480	59 13/16	40	48	242
L6-480	71 1/2	48	48	300

Depth on all Legal-Size Sort Modules is 16 7/8".

Legal Open Back, 3" Riser



L4-300E03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-180E03	13 1/16	6	21	43
L2-180E03	24 3/4	12	21	62
L3-180E03	36 7/16	18	21	90
L4-180E03	48 1/8	24	21	112
L5-180E03	59 13/16	30	21	134
L6-180E03	71 1/2	36	21	156
L1-240E03	13 1/16	6	27	49
L2-240E03	24 3/4	12	27	72
L3-240E03	36 7/16	18	27	106
L4-24BE03	48 1/8	24	27	132
L5-240E03	59 13/16	30	27	158
L6-240E03	71 1/2	36	27	185
L1-300E03	13 1/16	6	33	56
L2-300E03	24 3/4	12	33	83
L3-300E03	36 7/16	18	33	122
L4-300E03	48 1/8	24	33	150
L5-300E03	59 13/16	30	33	181
L6-300E03	71 1/2	36	33	211
L1-360E03	13 1/16	8	39	64
L2-360E03	24 3/4	16	39	95
L3-360E03	36 7/16	24	39	139
L4-360E03	48 1/8	32	39	175
L5-360E03	59 13/16	40	39	210
L6-360E03	71 1/2	48	39	245
L1-420E03	13 1/16	8	45	71
L2-420E03	24 3/4	16	45	106
L3-420E03	36 7/16	24	45	156
L4-420E03	48 1/8	32	45	194
L5-420E03	59 13/16	40	45	234
L6-420E03	71 1/2	48	45	274

Depth on all Legal-Size Sort Modules is 16 7/8".
Open back risers are not available on open back modules.

Legal Open Back, 6" Riser



L4-300E06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-180E06	13 1/16	6	24	45
L2-180E06	24 3/4	12	24	67
L3-180E06	36 7/16	18	24	97
L4-180E06	48 1/8	24	24	120
L5-180E06	59 13/16	30	24	145
L6-180E06	71 1/2	36	24	171
L1-240E06	13 1/16	6	30	52
L2-240E06	24 3/4	12	30	77
L3-240E06	36 7/16	18	30	112
L4-240E06	48 1/8	24	30	140
L5-240E06	59 13/16	30	30	169
L6-240E06	71 1/2	36	30	200
L1-300E06	13 1/16	6	36	58
L2-300E06	24 3/4	12	36	87
L3-300E06	36 7/16	18	36	128
L4-300E06	48 1/8	24	36	158
L5-300E06	59 13/16	30	36	193
L6-300E06	71 1/2	36	36	227
L1-360E06	13 1/16	8	42	67
L2-360E06	24 3/4	16	42	100
L3-360E06	36 7/16	24	42	146
L4-360E06	48 1/8	32	42	183
L5-360E06	59 13/16	40	42	221
L6-360E06	71 1/2	48	42	261
L1-420E06	13 1/16	8	48	76
L2-420E06	24 3/4	16	48	113
L3-420E06	36 7/16	24	48	166
L4-420E06	48 1/8	32	48	207
L5-420E06	59 13/16	40	48	221
L6-420E06	71 1/2	48	48	237

Depth on all Legal-Size Sort Modules is 16 7/8".
Open back risers are not available on open back modules.

Legal Open Back, 12" Riser



L4-240E12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-180E12	13 1/16	6	30	52
L2-180E12	24 3/4	12	30	74
L3-180E12	36 7/16	18	30	107
L4-180E12	48 1/8	24	30	131
L5-180E12	59 13/16	30	30	161
L6-180E12	71 1/2	36	30	191
L1-240E12	13 1/16	6	36	59
L2-240E12	24 3/4	12	36	85
L3-240E12	36 7/16	18	36	121
L4-240E12	48 1/8	24	36	150
L5-240E12	59 13/16	30	36	184
L6-240E12	71 1/2	36	36	218
L1-300E12	13 1/16	6	42	65

Legal Open Back, 12" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L2-30OE12	24 3/4	12	42	95
L3-30OE12	36 7/16	18	42	136
L4-30OE12	48 1/8	24	42	169
L5-30OE12	59 13/16	30	42	207
L6-30OE12	71 1/2	36	42	244
L1-36OE12	13 1/16	8	48	70
L2-36OE12	24 3/4	16	48	105
L3-36OE12	36 7/16	24	48	153
L4-36OE12	48 1/8	32	48	189
L5-36OE12	59 13/16	40	48	230
L6-36OE12	71 1/2	48	48	271

Depth on all Legal-Size Sort Modules is 16 7/8".
Open back risers are not available on open back modules.

Legal Open Back, 18" Riser



L4-30OE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18OE18	13 1/16	6	36	57
L2-18OE18	24 3/4	12	36	81
L3-18OE18	36 7/16	18	36	117
L4-18OE18	48 1/8	24	36	142
L5-18OE18	59 13/16	30	36	176
L6-18OE18	71 1/2	36	36	209
L1-24OE18	13 1/16	6	42	64
L2-24OE18	24 3/4	12	42	91
L3-24OE18	36 7/16	18	42	131
L4-24OE18	48 1/8	24	42	161
L5-24OE18	59 13/16	30	42	198
L6-24OE18	71 1/2	36	42	237
L1-30OE18	13 1/16	6	48	70
L2-30OE18	24 3/4	12	48	101
L3-30OE18	36 7/16	18	48	145
L4-30OE18	48 1/8	24	48	180
L5-30OE18	59 13/16	30	48	221
L6-30OE18	71 1/2	36	48	263

Depth on all Legal-Size Sort Modules is 16 7/8".
Open back risers are not available on open back modules.

Legal Plexiglass Back, No Riser



L4-30P

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18P	13 1/16	6	18	40
L2-18P	24 3/4	12	18	59
L3-18P	36 7/16	18	18	79
L4-18P	48 1/8	24	18	99
L5-18P	59 13/16	30	18	119
L6-18P	71 1/2	36	18	139
L1-24P	13 1/16	6	24	46
L2-24P	24 3/4	12	24	69
L3-24P	36 7/16	18	24	94

Legal Plexiglass Back, No Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L4-24P	48 1/8	24	24	117
L5-24P	59 13/16	30	24	141
L6-24P	71 1/2	36	24	165
L1-30P	13 1/16	6	30	53
L2-30P	24 3/4	12	30	80
L3-30P	36 7/16	18	30	108
L4-30P	48 1/8	24	30	134
L5-30P	59 13/16	30	30	162
L6-30P	71 1/2	36	30	189
L1-36P	13 1/16	8	36	61
L2-36P	24 3/4	16	36	92
L3-36P	36 7/16	24	36	124
L4-36P	48 1/8	32	36	156
L5-36P	59 13/16	40	36	188
L6-36P	71 1/2	48	36	220
L1-42P	13 1/16	8	42	68
L2-42P	24 3/4	16	42	103
L3-42P	36 7/16	24	42	139
L4-42P	48 1/8	32	42	174
L5-42P	59 13/16	40	42	210
L6-42P	71 1/2	48	42	246
L1-48P	13 1/16	8	48	76
L2-48P	24 3/4	16	48	114
L3-48P	36 7/16	24	48	153
L4-48P	48 1/8	32	48	191
L5-48P	59 13/16	40	48	232
L6-48P	71 1/2	48	48	273

Depth on all Legal-Size Sort Modules is 16 7/8".

Legal Plexiglass Back, 3" Riser



L4-30PE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18PE03	13 1/16	6	21	43
L2-18PE03	24 3/4	12	21	62
L3-18PE03	36 7/16	18	21	82
L4-18PE03	48 1/8	24	21	102
L5-18PE03	59 13/16	30	21	122
L6-18PE03	71 1/2	36	21	142
L1-24PE03	13 1/16	6	27	49
L2-24PE03	24 3/4	12	27	72
L3-24PE03	36 7/16	18	27	97
L4-24PE03	48 1/8	24	27	120
L5-24PE03	59 13/16	30	27	144
L6-24PE03	71 1/2	36	27	168
L1-30PE03	13 1/16	6	33	56
L2-30PE03	24 3/4	12	33	83
L3-30PE03	36 7/16	18	33	111
L4-30PE03	48 1/8	24	33	137
L5-30PE03	59 13/16	30	33	165
L6-30PE03	71 1/2	36	33	192

Legal Plexiglass Back, 3" Riser (cont.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-36PE03	13 1/16	8	39	64
L2-36PE03	24 3/4	16	39	95
L3-36PE03	36 7/16	24	39	127
L4-36PE03	48 1/8	32	39	159
L5-36PE03	59 13/16	40	39	191
L6-36PE03	71 1/2	48	39	223
L1-42PE03	13 1/16	8	45	71
L2-42PE03	24 3/4	16	45	106
L3-42PE03	36 7/16	24	45	142
L4-42PE03	48 1/8	32	45	177
L5-42PE03	59 13/16	40	45	213
L6-42PE03	71 1/2	48	45	249

Depth on all Legal-Size Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Legal Plexiglass Back, 6" Riser



L4-36PE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18PE06	13 1/16	6	24	45
L2-18PE06	24 3/4	12	24	67
L3-18PE06	36 7/16	18	24	88
L4-18PE06	48 1/8	24	24	109
L5-18PE06	59 13/16	30	24	132
L6-18PE06	71 1/2	36	24	155
L1-24PE06	13 1/16	6	30	52
L2-24PE06	24 3/4	12	30	77
L3-24PE06	36 7/16	18	30	102
L4-24PE06	48 1/8	24	30	127
L5-24PE06	59 13/16	30	30	154
L6-24PE06	71 1/2	36	30	182
L1-30PE06	13 1/16	6	36	58
L2-30PE06	24 3/4	12	36	87
L3-30PE06	36 7/16	18	36	116
L4-30PE06	48 1/8	24	36	144
L5-30PE06	59 13/16	30	36	175
L6-30PE06	71 1/2	36	36	206
L1-36PE06	13 1/16	8	42	67
L2-36PE06	24 3/4	16	42	100
L3-36PE06	36 7/16	24	42	133
L4-36PE06	48 1/8	32	42	166
L5-36PE06	59 13/16	40	42	201
L6-36PE06	71 1/2	48	42	237
L1-42PE06	13 1/16	8	48	76
L2-42PE06	24 3/4	16	48	113
L3-42PE06	36 7/16	24	48	151
L4-42PE06	48 1/8	32	48	288
L5-42PE06	59 13/16	40	48	228
L6-42PE06	71 1/2	48	48	267

Depth on all Legal-Size Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Legal Plexiglass Back, 12" Riser



L4-30PE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18PE12	13 1/16	6	30	52
L2-18PE12	24 3/4	12	30	74
L3-18PE12	36 7/16	18	30	97
L4-18PE12	48 1/8	24	30	119
L5-18PE12	59 13/16	30	30	146
L6-18PE12	71 1/2	36	30	174
L1-24PE12	13 1/16	6	36	59
L2-24PE12	24 3/4	12	36	85
L3-24PE12	36 7/16	18	36	110
L4-24PE12	48 1/8	24	36	136
L5-24PE12	59 13/16	30	36	167
L6-24PE12	71 1/2	36	36	198
L1-30PE12	13 1/16	6	42	65
L2-30PE12	24 3/4	12	42	95
L3-30PE12	36 7/16	18	42	124
L4-30PE12	48 1/8	24	42	154
L5-30PE12	59 13/16	30	42	188
L6-30PE12	71 1/2	36	42	222
L1-36PE12	13 1/16	8	48	70
L2-36PE12	24 3/4	16	48	105
L3-36PE12	36 7/16	24	48	139
L4-36PE12	48 1/8	32	48	172
L5-36PE12	59 13/16	40	48	209
L6-36PE12	71 1/2	48	48	246

Depth on all Legal-Size Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Legal Plexiglass Back, 18" Riser



L4-30PE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
L1-18PE18	13 1/16	6	36	57
L2-18PE18	24 3/4	12	36	81
L3-18PE18	36 77/16	18	36	106
L4-18PE18	48 1/8	24	36	129
L5-18PE18	59 13/16	30	36	160
L6-18PE18	71 1/2	36	36	190
L1-24PE18	13 1/16	6	42	72
L2-24PE18	24 3/4	12	42	91
L3-24PE18	36 7/16	18	42	111
L4-24PE18	48 1/8	24	42	146
L5-24PE18	59 13/16	30	42	180
L6-24PE18	71 1/2	36	42	215
L1-30PE18	13 1/16	6	48	79
L2-30PE18	24 3/4	12	48	98
L3-30PE18	36 7/16	18	48	117
L4-30PE18	48 1/8	24	48	164
L5-30PE18	59 13/16	30	48	201
L6-30PE18	71 1/2	36	48	239

Depth on all Legal-Size Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Closed Back, No Riser



04-36C

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18C	15 1/16	6	18	42
02-18C	28 3/4	12	18	65
03-18C	42 7/16	18	18	97
04-18C	56 1/8	24	18	121
05-18C	69 13/16	30	18	146
06-18C	83 1/2	36	18	172
01-24C	15 1/16	6	24	50
02-24C	28 3/4	12	24	76
03-24C	42 7/16	18	24	112
04-24C	56 1/8	24	24	142
05-24C	69 13/16	30	24	172
06-24C	83 1/2	36	24	202
01-30C	15 1/16	6	30	56
02-30C	28 3/4	12	30	87
03-30C	42 7/16	18	30	130
04-30C	56 1/8	24	30	162
05-30C	69 13/16	30	30	196
06-30C	83 1/2	36	30	230
01-36C	15 1/16	8	36	64
02-36C	28 3/4	16	36	100
03-36C	42 7/16	24	36	150
04-36C	56 1/8	32	36	190
05-36C	69 13/16	40	36	229
06-36C	83 1/2	48	36	267
01-42C	15 1/16	8	42	72
02-42C	28 3/4	16	42	111
03-42C	42 7/16	24	42	166
04-42C	56 1/8	32	42	210
05-42C	69 13/16	40	42	254
06-42C	83 1/2	48	42	298
01-48C	15 1/16	8	48	99
02-48C	28 3/4	16	48	129
03-48C	42 7/16	24	48	182
04-48C	56 1/8	32	48	231
05-48C	69 13/16	40	48	279
06-48C	83 1/2	48	48	328

Depth on all Oversize Sort Modules is 16 7/8".

Oversize Closed Back, 3" Riser



04-30CE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18CE03	15 1/16	6	21	45
02-18CE03	28 3/4	12	21	68
03-18CE03	42 7/16	18	21	100
04-18CE03	56 1/8	24	21	124
05-18CE03	69 13/16	30	21	149
06-18CE03	83 1/2	36	21	175
01-24CE03	15 1/16	6	27	53
02-24CE03	28 3/4	12	27	79

Oversize Closed Back, 3" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
03-24CE03	42 7/16	18	27	115
04-24CE03	56 1/8	24	27	145
05-24CE03	69 13/16	30	27	175
06-24CE03	83 1/2	36	27	205
01-30CE03	15 1/16	6	33	59
02-30CE03	28 3/4	12	33	90
03-30CE03	42 7/16	18	33	133
04-30CE03	56 1/8	24	33	165
05-30CE03	69 13/16	30	33	199
06-30CE03	83 1/2	36	33	233
01-36CE03	15 1/16	8	39	67
02-36CE03	28 3/4	16	39	103
03-36CE03	42 7/16	24	39	153
04-36CE03	56 1/8	32	39	193
05-36CE03	69 13/16	40	39	232
06-36CE03	83 1/2	48	39	270
01-42CE03	15 1/16	8	45	75
02-42CE03	28 3/4	16	45	114
03-42CE03	42 7/16	24	45	169
04-42CE03	56 1/8	32	45	213
05-42CE03	69 13/16	40	45	257
06-42CE03	83 1/2	48	45	301

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Closed Back, 6" Riser



04-30CE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18CE06	15 1/16	6	24	48
02-18CE06	28 3/4	12	24	73
03-18CE06	42 7/16	18	24	107
04-18CE06	56 1/8	24	24	135
05-18CE06	69 13/16	30	24	162
06-18CE06	83 1/2	36	24	189
01-24CE06	15 1/16	6	30	55
02-24CE06	28 3/4	12	30	84
03-24CE06	42 7/16	18	30	123
04-24CE06	56 1/8	24	30	156
05-24CE06	69 13/16	30	30	188
06-24CE06	83 1/2	36	30	219
01-30CE06	15 1/16	6	36	63
02-30CE06	28 3/4	12	36	95
03-30CE06	42 7/16	18	36	140
04-30CE06	56 1/8	24	36	177
05-30CE06	69 13/16	30	36	212
06-30CE06	83 1/2	36	36	246
01-36CE06	15 1/16	8	42	69
02-36CE06	28 3/4	16	42	108
03-36CE06	42 7/16	24	42	161

Oversize Closed Back, 6" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
04-36CE06	56 1/8	32	42	204
05-36CE06	69 13/16	40	42	245
06-36CE06	83 1/2	48	42	288
01-42CE06	15 1/16	8	48	76
02-42CE06	28 3/4	16	48	121
03-42CE06	42 7/16	24	48	183
04-42CE06	56 1/8	32	48	230
05-42CE06	69 13/16	40	48	245
06-42CE06	83 1/2	48	48	262

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Closed Back, 12" Riser



04-30CE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18CE12	15 1/16	6	30	55
02-18CE12	28 3/4	12	30	80
03-18CE12	42 7/16	18	30	118
04-18CE12	56 1/8	24	30	150
05-18CE12	69 13/16	30	30	179
06-18CE12	83 1/2	36	30	208
01-24CE12	15 1/16	6	36	62
02-24CE12	28 3/4	12	36	91
03-24CE12	42 7/16	18	36	133
04-24CE12	56 1/8	24	36	171
05-24CE12	69 13/16	30	36	204
06-24CE12	83 1/2	36	36	237
01-30CE12	15 1/16	6	42	69
02-30CE12	28 3/4	12	42	102
03-30CE12	42 7/16	18	42	149
04-30CE12	56 1/8	24	42	191
05-30CE12	69 13/16	30	42	229
06-30CE12	83 1/2	36	42	266
01-36CE12	15 1/16	8	48	77
02-36CE12	28 3/4	16	48	113
03-36CE12	42 7/16	24	48	165
04-36CE12	56 1/8	32	48	212
05-36CE12	69 13/16	40	48	254
06-36CE12	83 1/2	48	48	297

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P (for pass-through)
at no additional charge.

Oversize Closed Back, 18" Riser



04-24CE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18CE18	15 1/16	6	36	61
02-18CE18	28 3/4	12	36	88
03-18CE18	42 7/16	18	36	128
04-18CE18	56 1/8	24	36	165

Oversize Closed Back, 18" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
05-18CE18	69 13/16	30	36	195
06-18CE18	83 1/2	36	36	226
01-24CE18	15 1/16	6	42	67
02-24CE18	28 3/4	12	42	99
03-24CE18	42 7/16	18	42	144
04-24CE18	56 1/8	24	42	185
05-24CE18	69 13/16	30	42	220
06-24CE18	83 1/2	36	42	255
01-30CE18	15 1/16	6	48	74
02-30CE18	28 3/4	12	48	110
03-30CE18	42 7/16	18	48	161
04-30CE18	56 1/8	24	48	206
05-30CE18	69 13/16	30	48	245
06-30CE18	83 1/2	36	48	286

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Open Back, No Riser



04-360

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-180	15 1/16	6	18	42
02-180	28 3/4	12	18	65
03-180	42 7/16	18	18	97
04-180	56 1/8	24	18	121
05-180	69 13/16	30	18	146
06-180	83 1/2	36	18	172
01-240	15 1/16	6	24	50
02-240	28 3/4	12	24	76
03-240	42 7/16	18	24	112
04-240	56 1/8	24	24	142
05-240	69 13/16	30	24	172
06-240	83 1/2	36	24	202
01-300	15 1/16	6	30	56
02-300	28 3/4	12	30	87
03-300	42 7/16	18	30	130
04-300	56 1/8	24	30	162
05-300	69 13/16	30	30	196
06-300	83 1/2	36	30	230
01-360	15 1/16	8	36	64
02-360	28 3/4	16	36	100
03-360	42 7/16	24	36	150
04-360	56 1/8	32	36	190
05-360	69 13/16	40	36	229
06-360	83 1/2	48	36	267
01-420	15 1/16	8	42	72
02-420	28 3/4	16	42	111
03-420	42 7/16	24	42	166

Oversize Open Back, No Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
04-420	56 1/8	32	42	210
05-420	69 13/16	40	42	254
06-420	83 1/2	48	42	298
01-480	15 1/16	8	48	99
02-480	28 3/4	16	48	129
03-480	42 7/16	24	48	182
04-480	56 1/8	32	48	231
05-480	69 13/16	40	48	279
06-480	83 1/2	48	48	328

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Open Back, 3" Riser



04-300E03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-180E03	15 1/16	6	21	45
02-180E03	28 3/4	12	21	68
03-180E03	42 7/16	18	21	100
04-180E03	56 1/8	24	21	124
05-180E03	69 13/16	30	21	149
06-180E03	83 1/2	36	21	175
01-240E03	15 1/16	6	27	53
02-240E03	28 3/4	12	27	79
03-240E03	42 7/16	18	27	115
04-240E03	56 1/8	24	27	145
05-240E03	69 13/16	30	27	175
06-240E03	83 1/2	36	27	205
01-300E03	15 1/16	6	33	59
02-300E03	28 3/4	12	33	90
03-300E03	42 7/16	18	33	133
04-300E03	56 1/8	24	33	165
05-300E03	69 13/16	30	33	199
06-300E03	83 1/2	36	33	233
01-360E03	15 1/16	8	39	67
02-360E03	28 3/4	16	39	103
03-360E03	42 7/16	24	39	153
04-360E03	56 1/8	32	39	193
05-360E03	69 13/16	40	39	232
06-360E03	83 1/2	48	39	270
01-420E03	15 1/16	8	45	75
02-420E03	28 3/4	16	45	114
03-420E03	42 7/16	24	45	169
04-420E03	56 1/8	32	45	213
05-420E03	69 13/16	40	45	257
06-420E03	83 1/2	48	45	301

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Open Back, 6" Riser



04-300E06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-180E06	15 1/16	6	24	48
02-180E06	28 3/4	12	24	73
03-180E06	42 7/16	18	24	107
04-180E06	56 1/8	24	24	135
05-180E06	69 13/16	30	24	162
06-180E06	83 1/2	36	24	189
01-240E06	15 1/16	6	30	55
02-240oE6	28 3/4	12	30	84
03-240E06	42 7/16	18	30	123
04-240E06	56 1/8	24	30	156
05-240E06	69 13/16	30	30	188
06-240E06	83 1/2	36	30	219
01-300E06	15 1/16	6	36	63
02-300E06	28 3/4	12	36	95
03-300E06	42 7/16	18	36	140
04-300E06	56 1/8	24	36	177
05-300E06	69 13/16	30	36	212
06-300E06	83 1/2	36	36	246
01-360E06	15 1/16	8	42	69
02-360E06	28 3/4	16	42	108
03-360E06	42 7/16	24	42	161
04-360E06	56 1/8	32	42	204
05-360E06	69 13/16	40	42	245
06-360E06	83 1/2	48	42	288
01-420E06	15 1/16	8	48	76
02-420E06	28 3/4	16	48	121
03-420E06	42 7/16	24	48	183
04-420E06	56 1/8	32	48	230
05-420E06	69 13/16	40	48	245
06-420E06	83 1/2	48	48	262

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Open Back, 12" Riser



04-30OE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18OE12	15 1/16	6	30	55
02-18OE12	28 3/4	12	30	80
03-18OE12	42 7/16	18	30	118
04-18OE12	56 1/8	24	30	150
05-18OE12	69 13/16	30	30	179
06-18OE12	83 1/2	36	30	208
01-24OE12	15 1/16	6	36	62
02-24OE12	28 3/4	12	36	91
03-24OE12	42 7/16	18	36	133
04-24OE12	56 1/8	24	36	171
05-24OE12	69 13/16	30	36	204
06-24OE12	83 1/2	36	36	237
01-30OE12	15 1/16	6	42	69
02-30OE12	28 3/4	12	42	102
03-30OE12	42 7/16	18	42	149
04-30OE12	56 1/8	24	42	191
05-30OE12	69 13/16	30	42	229
06-30OE12	83 1/2	36	42	266
01-36OE12	15 1/16	8	48	77
02-36OE12	28 3/4	16	48	113
03-36OE12	42 7/16	24	48	165
04-36OE12	56 1/8	32	48	212
05-36OE12	69 13/16	40	48	254
06-36OE12	83 1/2	48	48	297

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Open Back, 18" Riser



04-24OE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18OE18	15 1/16	6	36	61
02-18OE18	28 3/4	12	36	88
03-18OE18	42 7/16	18	36	128
04-18OE18	56 1/8	24	36	165
05-18OE18	69 13/16	30	36	195
06-18OE18	83 1/2	36	36	226
01-24OE18	15 1/16	6	42	67
02-24OE18	28 3/4	12	42	99
03-24OE18	42 7/16	18	42	144
04-24OE18	56 1/8	24	42	185
05-24OE18	69 13/16	30	42	220
06-24OE18	83 1/2	36	42	255
01-30OE18	15 1/16	6	48	74
02-30OE18	28 3/4	12	48	110
03-30OE18	42 7/16	18	48	161

Oversize Open Back, 18" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
04-30OE18	56 1/8	24	48	206
05-30OE18	69 13/16	30	48	245
06-30OE18	83 1/2	36	48	286

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Plexiglass Back, No Riser



04-36P

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18P	15 1/16	6	18	42
02-18P	28 3/4	12	18	65
03-18P	42 7/16	18	18	88
04-18P	56 1/8	24	18	110
05-18P	69 13/16	30	18	133
06-18P	83 1/2	36	18	156
01-24P	15 1/16	6	24	50
02-24P	28 3/4	12	24	76
03-24P	42 7/16	18	24	102
04-24P	56 1/8	24	24	129
05-24P	69 13/16	30	24	156
06-24P	83 1/2	36	24	184
01-30P	15 1/16	6	30	56
02-30P	28 3/4	12	30	87
03-30P	42 7/16	18	30	118
04-30P	56 1/8	24	30	147
05-30P	69 13/16	30	30	178
06-30P	83 1/2	36	30	209
01-36P	15 1/16	8	36	64
02-36P	28 3/4	16	36	100
03-36P	42 7/16	24	36	136
04-36P	56 1/8	32	36	173
05-36P	69 13/16	40	36	208
06-36P	83 1/2	48	36	243
01-42P	15 1/16	8	42	72
02-42P	28 3/4	16	42	111
03-42P	42 7/16	24	42	151
04-42P	56 1/8	32	42	191
05-42P	69 13/16	40	42	231
06-42P	83 1/2	48	42	271
01-48P	15 1/16	8	48	79
02-48P	28 3/4	16	48	122
03-48P	42 7/16	24	48	165
04-48P	56 1/8	32	48	210
05-48P	69 13/16	40	48	254
06-48P	83 1/2	48	48	298

Depth on all Oversize Sort Modules is 16 7/8".

Oversize Plexiglass Back, 3" Riser



04-36PE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18PE03	15 1/16	6	21	45
02-18PE03	28 3/4	12	21	68
03-18PE03	42 7/16	18	21	91
04-18PE0	56 1/8	24	21	113
05-18PE03	69 13/16	30	21	136
06-18PE03	83 1/2	36	21	159
01-24PE03	15 1/16	6	27	53
02-24PE03	28 3/4	12	27	79
03-24PE03	42 7/16	18	27	105
04-24PE03	56 1/8	24	27	132
05-24PE03	69 13/16	30	27	159
06-24PE03	83 1/2	36	27	187
01-30PE03	15 1/16	6	33	59
02-30PE03	28 3/4	12	33	90
03-30PE03	42 7/16	18	33	121
04-30PE03	56 1/8	24	33	150
05-30PE03	69 13/16	30	33	181
06-30PE03	83 1/2	36	33	212
01-36PE03	15 1/16	8	39	67
02-36PE03	28 3/4	16	39	103
03-36PE03	42 7/16	24	39	139
04-36PE03	56 1/8	32	39	176
05-36PE03	69 13/16	40	39	211
06-36PE03	83 1/2	48	39	246
01-42PE03	15 1/16	8	45	75
02-42PE03	28 3/4	16	45	114
03-42PE03	42 7/16	24	45	154
04-42PE03	56 1/8	32	45	194
05-42PE03	69 13/16	40	45	234
06-42PE03	83 1/2	48	45	274

Depth on all Oversize Sort Modules = 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Plexiglass Back, 6" Riser



04-30PE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18PE06	15 1/16	6	24	48
02-18PE06	28 3/4	12	24	73
03-18PE06	42 7/16	18	24	97
04-18PE06	56 1/8	24	24	123
05-18PE06	69 13/16	30	24	147
06-18PE06	83 1/2	36	24	172
01-24PE06	15 1/16	6	30	55
02-24PE06	28 3/4	12	30	84
03-24PE06	42 7/16	18	30	112
04-24PE06	56 1/8	24	30	142
05-24PE06	69 13/16	30	30	171
06-24PE06	83 1/2	36	30	199
01-30PE06	15 1/16	6	36	63

Oversize Plexiglass Back, 6" Riser (con't.)



04-30PE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
02-30PE06	28 3/4	12	36	95
03-30PE06	42 7/16	18	36	127
04-30PE06	56 1/8	24	36	161
05-30PE06	69 13/16	30	36	193
06-30PE06	83 1/2	36	36	224
01-36PE06	15 1/16	8	42	69
02-36PE06	28 3/4	16	42	108
03-36PE06	42 7/16	24	42	146
04-36PE06	56 1/8	32	42	285
05-36PE06	69 13/16	40	42	223
06-36PE06	83 1/2	48	42	262
01-42PE06	15 1/16	8	48	76
02-42PE06	28 3/4	16	48	121
03-42PE06	42 7/16	24	48	166
04-42PE06	56 1/8	32	48	209
05-42PE06	69 13/16	40	48	254
06-42PE06	83 1/2	48	48	299

Depth on all Oversize Sort Modules = 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Plexiglass Back, 12" Riser



04-24PE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
01-18PE12	15 1/16	6	30	55
02-18PE12	28 3/4	12	30	80
03-18PE12	42 7/16	18	30	107
04-18PE12	56 1/8	24	30	136
05-18PE12	69 13/16	30	30	163
06-18PE12	83 1/2	36	30	189
01-24PE12	15 1/16	6	36	62
02-24PE12	28 3/4	12	36	91
03-24PE12	42 7/16	18	36	121
04-24PE12	56 1/8	24	36	155
05-24PE12	69 13/16	30	36	185
06-24PE12	83 1/2	36	36	215
01-30PE12	15 1/16	6	42	69
02-30PE12	28 3/4	12	42	102
03-30PE12	42 7/16	18	42	135
04-30PE12	56 1/8	24	42	174
05-30PE12	69 13/16	30	42	208
06-30PE12	83 1/2	36	42	242
01-36PE12	15 1/16	8	48	77
02-36PE12	28 3/4	16	48	113
03-36PE12	42 7/16	24	48	150
04-36PE12	56 1/8	32	48	193
05-36PE12	69 13/16	40	48	231
06-36PE12	83 1/2	48	48	270

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Oversize Plexiglass Back, 18" Riser



O4-30PE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18PE18	15 1/16	6	36	61
O2-18PE18	28 3/4	12	36	88
O3-18PE18	42 7/16	18	36	116
O4-18PE18	56 1/8	24	36	150
O5-18PE18	69 13/16	30	36	177
O6-18PE18	83 1/2	36	36	205
O1-24PE18	15 1/16	6	42	77
O2-24PE18	28 3/4	12	42	99
O3-24PE18	42 7/16	18	42	121
O4-24PE18	56 1/8	24	42	168
O5-24PE18	69 13/16	30	42	200
O6-24PE18	83 1/2	36	42	232
O1-30PE18	15 1/16	6	48	72
O2-30PE18	28 3/4	12	48	99
O3-30PE18	42 7/16	18	48	127
O4-30PE18	56 1/8	24	48	187
O5-30PE18	69 13/16	30	48	223
O6-30PE18	83 1/2	36	48	260

Depth on all Oversize Sort Modules is 16 7/8".
For open riser, change model # to P
(for pass-through).

Zip Code Closed Back, No Platform



Z6-30C


MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
Z2-18C	15 1/16	12	18	50
Z4-18C	28 3/4	24	18	80
Z6-18C	42 7/16	36	18	110
Z8-18C	56 1/8	48	18	141
Z10-18C	69 13/16	60	18	171
Z12-18C	83 1/2	72	18	200
Z2-24C	15 1/16	12	24	59
Z4-24C	28 3/4	24	24	96
Z6-24C	42 7/16	36	24	132
Z8-24C	56 1/8	48	24	168
Z10-24C	69 13/16	60	24	205
Z12-24C	83 1/2	72	24	241
Z2-30C	15 1/16	12	30	68
Z4-30C	28 3/4	24	30	111
Z6-30C	42 7/16	36	30	154
Z8-30C	56 1/8	48	30	197
Z10-30C	69 13/16	60	30	239
Z12-30C	83 1/2	72	30	281
Z2-36C	15 1/16	16	36	79
Z4-36C	28 3/4	32	36	130

Zip Code Closed Back, No Platform (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
Z6-36C	42 7/16	48	36	180
Z8-36C	56 1/8	64	36	231
Z10-36C	69 13/16	80	36	282
Z12-36C	83 1/2	96	36	332
Z2-42C	15 1/16	16	42	90
Z4-42C	28 3/4	32	42	149
Z6-42C	42 7/16	48	42	207
Z8-42C	56 1/8	64	42	265
Z10-42C	69 13/16	80	42	325
Z12-42C	83 1/2	96	42	384
Z2-48C	15 1/16	16	48	101
Z4-48C	28 3/4	32	48	167
Z6-48C	42 7/16	48	48	233
Z8-48C	56 1/8	64	48	299
Z10-48C	69 13/16	80	48	367
Z12-48C	83 1/2	96	48	436

Depth on all Zip Code Sort Modules is 12 7/8".

Zip Code Closed Back, 3" Riser



Z4-30CE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
Z2-18CE03	15 1/16	12	21	53
Z4-18CE03	28 3/4	24	21	83
Z6-18CE03	42 7/16	36	21	113
Z8-18CE03	56 1/8	48	21	144
Z10-18CE03	69 13/16	60	21	174
Z12-18CE03	83 1/2	72	21	203
Z2-24CE03	15 1/16	12	27	62
Z4-24CE03	28 3/4	24	27	99
Z6-24CE03	42 7/16	36	27	135
Z8-24CE03	56 1/8	48	27	171
Z10-24CE03	69 13/16	60	27	208
Z12-24CE03	83 1/2	72	27	244
Z2-30CE03	15 1/16	12	33	71
Z4-30CE03	28 3/4	24	33	114
Z6-30CE03	42 7/16	36	33	157
Z8-30CE03	56 1/8	48	33	200
Z10-30CE03	69 13/16	60	33	242
Z12-30CE03	83 1/2	72	33	284
Z2-36CE03	15 1/16	16	39	82
Z4-36CE03	28 3/4	32	39	133
Z6-36CE03	42 7/16	48	39	183
Z8-36CE03	56 1/8	64	39	234

Zip Code Closed Back, 3" Riser (con't.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
Z10-36CE03	69 13/16	80	39	285
Z12-36CE03	83 1/2	96	39	335
Z2-42CE03	15 1/16	16	45	93
Z4-42CE03	28 3/4	32	45	152
Z6-42CE03	42 7/16	48	45	210
Z8-42CE03	56 1/8	64	45	268
Z10-42CE03	69 13/16	80	45	328
Z12-42CE03	83 1/2	96	45	387

Depth on all Zip Code Sort Modules is 12 7/8".
For open riser, change model # to P (for pass-through) at no additional charge.

Zip Code Closed Back, 6" Riser



Z4-36CE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
Z2-18CE06	15 1/16	12	24	56
Z4-18CE06	28 3/4	24	24	88
Z6-18CE06	42 7/16	36	24	120
Z8-18CE06	56 1/8	48	24	154
Z10-18CE06	69 13/16	60	24	185
Z12-18CE06	83 1/2	72	24	216
Z2-24CE06	15 1/16	12	30	65
Z4-24CE06	28 3/4	24	30	103
Z6-24CE06	42 7/16	36	30	142
Z8-24CE06	56 1/8	48	30	182
Z10-24CE06	69 13/16	60	30	219
Z12-24CE06	83 1/2	72	30	256
Z2-30CE06	15 1/16	12	36	75
Z4-30CE06	28 3/4	24	36	119
Z6-30CE06	42 7/16	36	36	163
Z8-30CE06	56 1/8	48	36	209
Z10-30CE06	69 13/16	60	36	253
Z12-30CE06	83 1/2	72	36	297
Z2-36CE06	15 1/16	16	42	85
Z4-36CE06	28 3/4	32	42	138
Z6-36CE06	42 7/16	48	42	190
Z8-36CE06	56 1/8	64	42	244
Z10-36CE06	69 13/16	80	42	296
Z12-36CE06	83 1/2	96	42	348
Z2-42CE06	15 1/16	16	48	95
Z4-42CE06	28 3/4	32	48	156
Z6-42CE06	42 7/16	48	48	218
Z8-42CE06	56 1/8	64	48	279
Z10-42CE06	69 13/16	80	48	339
Z12-42CE06	83 1/2	96	48	398

Depth on all Zip Code Sort Modules is 12 7/8".
For open riser, change model # to P (for pass-through).

Zip Code Closed Back, 12" Riser



Z4-30CE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
Z2-18CE12	15 1/16	12	30	63
Z4-18CE12	28 3/4	24	30	96
Z6-18CE12	42 7/16	36	30	129
Z8-18CE12	56 1/8	48	30	167
Z10-18CE12	69 13/16	60	30	200
Z12-18CE12	83 1/2	72	30	233
Z2-24CE12	15 1/16	12	36	72
Z4-24CE12	28 3/4	24	36	111
Z6-24CE12	42 7/16	36	36	151
Z8-24CE12	56 1/8	48	36	195
Z10-24CE12	69 13/16	60	36	234
Z12-24CE12	83 1/2	72	36	274
Z2-30CE12	15 1/16	12	42	80
Z4-30CE12	28 3/4	24	42	127
Z6-30CE12	42 7/16	36	42	173
Z8-30CE12	56 1/8	48	42	222
Z10-30CE12	69 13/16	60	42	268
Z12-30CE12	83 1/2	72	42	315
Z2-36CE12	15 1/16	16	48	89
Z4-36CE12	28 3/4	32	48	142
Z6-36CE12	42 7/16	48	48	195
Z8-36CE12	56 1/8	64	48	250
Z10-36CE12	69 13/16	80	48	303
Z12-36CE12	83 1/2	96	48	355

Depth on all Zip Code Sort Modules is 12 7/8".
For open riser, change model # to P (for pass-through).

Zip Code Closed Back, 18" Riser



Z4-30CE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
Z2-18CE18	15 1/16	12	36	68
Z4-18CE18	28 3/4	24	36	103
Z6-18CE18	42 7/16	36	36	139
Z8-18CE18	56 1/8	48	36	180
Z10-18CE18	69 13/16	60	36	215
Z12-18CE18	83 1/2	72	36	249
Z2-24CE18	15 1/16	12	42	54
Z4-24CE18	28 3/4	24	42	119
Z6-24CE18	42 7/16	36	42	160
Z8-24CE18	56 1/8	48	42	208
Z10-24CE18	69 13/16	60	42	249
Z12-24CE18	83 1/2	72	42	289
Z2-30CE18	15 1/16	12	48	88
Z4-30CE18	28 3/4	24	48	134
Z6-30CE18	42 7/16	36	48	180
Z8-30CE18	56 1/8	48	48	235
Z10-30CE18	69 13/16	60	48	283
Z12-30CE18	83 1/2	72	48	330

Depth on all Zip Code Sort Modules is 12 7/8".
For open riser, change model # to P (for pass-through).

Standard Reader Station



MCS36L

MODEL #	OPENING*	HGT	WGT
MCS36C	Centered	36	180
MCS36R	Right	36	180
MCS36L	Left	36	180
MCS42C	Centered	42	200
MCS42R	Right	42	200
MCS42L	Left	42	200
MCS48C	Centered	48	225
MCS48R	Right	48	225
MCS48L	Left	48	225

Depth on all Standard Reader Stations is 12 7/8". Width is 59 13/16".
Reader Stations include 14 sorting shelves and one binder shelf.
*Standard Reader Stations feature a 34 7/16" open area for computer monitors or supplies.

Oversize Reader Station



MCO36R

MODEL #	OPENING*	HGT	WGT
MCO36C	Centered	36	229
MCO36R	Right	36	229
MCO36L	Left	36	229
MCO42C	Centered	42	250
MCO42R	Right	42	250
MCO42L	Left	42	250
MCO48C	Centered	48	275
MCO48R	Right	48	275
MCO48L	Left	48	275

Depth on all Oversize Reader Stations is 16 7/8". Width is 69 13/16".
Reader Stations include 14 sorting shelves and one binder shelf.
*Oversize Reader Stations feature a 40 7/16" open area for computer monitors or supplies.

Sort Module Accessories

Plexiglass Overhead Display Boards




DSPBRD-S2

MODEL #	DESCRIPTION	WGT
DSPBRD-S1	12"h Display Board for S1/L1 Module	4
DSPBRD-S2	12"h Display Board for S2/L2 Module	8
DSPBRD-S3	12"h Display Board for S3/L3 Module	12
DSPBRD-S4	12"h Display Board for S4/L4 Module	16
DSPBRD-S5	12"h Display Board for S5/L5 Module	20
DSPBRD-S6	12"h Display Board for S6/L6 Module	24
DSPBRD-01	12"h Display Board for O1/Z2 Module	5

Plexiglass Overhead Display Boards (con't.)

MODEL #	DESCRIPTION	WGT
DSPBRD-02	12"h Display Board for O2/Z4 Module	10
DSPBRD-03	12"h Display Board for O3/Z6 Module	15
DSPBRD-04	12"h Display Board for O4/Z8 Module	20
DSPBRD-05	12"h Display Board for O5/Z10 Module	25
DSPBRD-06	12"h Display Board for O6/Z12 Module	30

Plexiglass Module Doors (3/16 Depth)




PLXS-30

Specify if for front or back of module

MODEL #	DESCRIPTION	FRONT WIDTH	BACK WIDTH	BACK HEIGHT	WGT
18" High Door with 17 1/16" Front Height					
PLXS-18	Standard/Legal	11 1/4	10 11/16	14 7/16	5
PLXS-18-L	Std/Legal w/Lock	11 1/4	10 11/16	14 7/16	5
PLXO-18	Oversize	13 1/4	12 11/16	14 7/16	5
PLXO-18-L	Oversize w/Lock	13 1/4	12 11/16	14 7/16	5
24" High Door with 23 1/16" Front Height					
PLXS-24	Standard/Legal	11 1/4	10 11/16	20 7/16	6
PLXS-24-L	Std/Legal w/Lock	11 1/4	10 11/16	20 7/16	6
PLXO-24	Oversize	13 1/4	12 11/16	20 7/16	6
PLXO-24-L	Oversize w/Lock	13 1/4	12 11/16	20 7/16	6
30" High Door with 29 1/16" Front Height					
PLXS-30	Standard/Legal	11 1/4	10 11/16	26 7/16	7
PLXS-30-L	Std/Legal w/Lock	11 1/4	10 11/16	26 7/16	7
PLXO-30	Oversize	13 1/4	12 11/16	26 7/16	7
PLXO-30-L	Oversize w/Lock	13 1/4	12 11/16	26 7/16	7
36" High Door with 35 1/16" Front Height					
PLXS-36	Standard/Legal	11 1/4	10 11/16	32 7/16	8
PLXS-36-L	Std/Legal w/Lock	11 1/4	10 11/16	32 7/16	8
PLXO-36	Oversize	13 1/4	12 11/16	32 7/16	8
PLXO-36-L	Oversize w/Lock	13 1/4	12 11/16	32 7/16	8
42" High Door with 41 1/16" Front Height					
PLXS-42	Standard/Legal	11 1/4	10 11/16	38 7/16	9
PLXS-42-L	Std/Legal w/Lock	11 1/4	10 11/16	38 7/16	9
PLXO-42	Oversize	13 1/4	12 11/16	38 7/16	9
PLXO-42-L	Oversize w/Lock	13 1/4	12 11/16	38 7/16	9
48" High Door with 47 1/16" Front Height					
PLXS-48	Std/Legal	11 1/4	10 11/16	44 7/16	10
PLXS-48-L	Std/Legal w/Lock	11 1/4	10 11/16	44 7/16	10
PLXO-48	Oversize	13 1/4	12 11/16	44 7/16	10
PLXO-48-L	Oversize w/Lock	13 1/4	12 11/16	44 7/16	10

Guidelines for Specifying Corner Consoles & Modules




Standard Configuration

To get modules and consoles in the corners of 'L' or 'U' shaped configurations to line up, use the following guidelines:

Standard-Size Modules


a. Use a 30" deep console on each side of the corner unit
b. Use a 30" wide x 30" deep CT console for the corner unit
c. Use a two-section, standard-size module for the corner unit



Legal Configuration

Legal-Size Modules

a. Use a 30" deep console on each side of the corner unit
b. Use a 36" wide x 30" deep CT console for the corner unit
c. Use a two-section, legal-size module for the corner unit




Oversize Configuration

Oversize Modules

a. Use a 36" deep console on each side of the corner unit
b. Use a 36" wide x 36" deep console for the corner unit
c. Use a two-section, oversize module for the corner unit

Freestanding Sort Modules

How to Specify Your Options



FSM481276SBSR

Module Laminate

Shelf/Shelf Support Color

Bottom Storage Area and Kickplate

Sliding Doors

Model #	Description
D	With doors
x	No doors

Handle Options†

Model	Description
AA	Wire Pull Satin Nickel
AB	Wire Pull Black
AC	Modern Pull - Satin Nickel
AD	Modern Pull - Matte Black
AE	Bow Pull - Matte Black
AF	Square Pull - Satin Nickel
AG	Square Pull - Matte Black
AH	Square Pull - Dark Pewter
AI	Bar Pull - 6″ Matte Black
AJ	Tab Pull - 3″ Satin Nickel
AK	Tab Pull - 3″ Matte Black
AL	Tab Pull - 6″ Satin Nickel
AM	Tab Pull - 6″ Matte Black
AN	Rectangluar Knob Satin Nickel
AO	Inset Handle Brushed Nickel
AP	Bar Pull - 8″ Matte Black
AQ	Bar Pull - 10″ Matte Black
AR	Wire Pull - Antibacterial
AS	Push to Open - No Handle
SL	Contemporary Stainless - 16″
SS	Contemporary Stainless - 6″

†Recessed and bar not available on all units.

Slot Type
S = Standard Size
L = Legal Size
O = Oversize

Doors

Handle

Freestanding Sort Module

Sorting Depth

F S M 4 2 1 6 7 2 L B D Y C S

Sorting Width

Sorting Height

Bottom Storage Area
F = Full Length Sorting
B = Bottom Storage
R = Sliding Referernce
K = Kickplate

Locks

Locks (per door)

Model #	Description
x	No locks
Y	Locks

See page 60 for color codes.

Notes

1. Full-height Freestanding Sort Modules include 12 shelves per column, providing 13 openings per column. The sorting inches are equal to (height - 6″) x # of columns.

2. Modules with Bottom Storage Area include 7 shelves per column, providing 8 openings per column. The sorting inches are equal to (height - 23″) x # of columns. Modules with 12″ Kickplate include 12 shelves per column, providing 13 openings per column. The sorting inches are equal to (height - 15″) x # of columns.

3. Freestanding module with sliding reference shelves include 7 shelves per column, providing 8 openings per column. The sorting inches are equal to (height - 32″) x # of columns.

4. Additional shelves can be ordered if more openings are required. Shelves can also be deleted if fewer openings are required.

5. Bottom storage areas will accommodate mail tubs.

6. Inside clearances on Bottom Storage Areas

Size	Depth	Height
Standard	12″	15″
Legal/Oversize	16″	15″

7. Sliding doors can be added to bottom storage areas, which reduces the depth clearance by 2½″.

8. Freestanding Sort Modules with Sliding Reference Shelves feature a bottom storage area and slide-out shelf located 30″ off the ground.

Size	Shelf Pull Out Depth
Standard	9¾″
Legal/Oversize	13¾″

9. Reductions in the height of Freestanding Sort Modules can be made with an upcharge.

10. All Freestanding Sort Modules are shipped fully assembled. When getting freight quotes, specify Class 100. If dimensions are required, add 3″ to each dimension for packing materials.

Freestanding Sort Modules

Without Doors



FSM361266S

MODEL #	SEC	W	D	HGT	SLOTS	WGT
FSM361248S	3	36 7/16	12 7/8	48	39	186
FSM361260S	3	36 7/16	12 7/8	60	39	207
FSM361266S	3	36 7/16	12 7/8	66	39	217
FSM361272S	3	36 7/16	12 7/8	72	39	228
FSM361276S	3	36 7/16	12 7/8	76	39	234
FSM481248S	4	48 1/8	12 7/8	48	52	226
FSM481260S	4	48 1/8	12 7/8	60	52	252
FSM481266S	4	48 1/8	12 7/8	66	52	265
FSM481272S	4	48 1/8	12 7/8	72	52	273
FSM481276S	4	48 1/8	12 7/8	76	52	281
FSM361648L	3	36 7/16	16 7/8	48	39	213
FSM361660L	3	36 7/16	16 7/8	60	39	239
FSM361666L	3	36 7/16	16 7/8	66	39	252
FSM361672L	3	36 7/16	16 7/8	72	39	264
FSM361676L	3	36 7/16	16 7/8	76	39	282
FSM481648L	4	48 1/8	16 7/8	48	52	253
FSM481660L	4	48 1/8	16 7/8	60	52	286
FSM481666L	4	48 1/8	16 7/8	66	52	301
FSM481672L	4	48 1/8	16 7/8	72	52	317
FSM481676L	4	48 1/8	16 7/8	76	52	327
FSM4216480	3	42 7/16	16 7/8	48	39	238
FSM4216600	3	42 7/16	16 7/8	60	39	266
FSM4216660	3	42 7/16	16 7/8	66	39	279
FSM4216720	3	42 7/16	16 7/8	72	39	294
FSM4216760	3	42 7/16	16 7/8	76	39	304
FSM5616480	4	56 1/8	16 7/8	48	52	277
FSM5616600	4	56 1/8	16 7/8	60	52	317
FSM5616660	4	56 1/8	16 7/8	66	52	334
FSM5616720	4	56 1/8	16 7/8	72	52	352
FSM5616760	4	56 1/8	16 7/8	76	52	363

With Doors



FSM481272SD

MODEL #	SEC	W	D	HGT	SLOTS	WGT
FSM361248SD	3	36 7/16	14 3/4	48	39	217
FSM361260SD	3	36 7/16	14 3/4	60	39	244
FSM361266SD	3	36 7/16	14 3/4	66	39	259
FSM361272SD	3	36 7/16	14 3/4	72	39	274
FSM361276SD	3	36 7/16	14 3/4	76	39	282
FSM481248SD	4	48 1/8	14 3/4	48	52	265
FSM481260SD	4	48 1/8	14 3/4	60	52	303
FSM481266SD	4	48 1/8	14 3/4	66	52	321
FSM481272SD	4	48 1/8	14 3/4	72	52	333
FSM481276SD	4	48 1/8	14 3/4	76	52	345
FSM361648LD	3	36 7/16	18 3/4	48	39	243
FSM361660LD	3	36 7/16	18 3/4	60	39	277
FSM361666LD	3	36 7/16	18 3/4	66	39	293
FSM361672LD	3	36 7/16	18 3/4	72	39	318

With Doors* (con't.)

MODEL #	SEC	W	D	HGT	SLOTS	WGT
FSM361676LD	3	36 7/16	18 3/4	76	39	330
FSM481648LD	4	48 1/8	18 3/4	48	52	294
FSM481660LD	4	48 1/8	18 3/4	60	52	337
FSM481666LD	4	48 1/8	18 3/4	66	52	358
FSM481672LD	4	48 1/8	18 3/4	72	52	377
FSM481676LD	4	48 1/8	18 3/4	76	52	391
FSM4216480D	3	42 7/16	18 3/4	48	39	274
FSM4216600D	3	42 7/16	18 3/4	60	39	310
FSM4216660D	3	42 7/16	18 3/4	66	39	329
FSM4216720D	3	42 7/16	18 3/4	72	39	348
FSM4216760D	3	42 7/16	18 3/4	76	39	360
FSM5616480D	4	56 1/8	18 3/4	48	52	329
FSM5616600D	4	56 1/8	18 3/4	60	52	375
FSM5616660D	4	56 1/8	18 3/4	66	52	398
FSM5616720D	4	56 1/8	18 3/4	72	52	421
FSM5616760D	4	56 1/8	18 3/4	76	52	437

With Bottom Storage without Sliding Shelf



FSM361266SB

MODEL #	SEC	W	D	HGT	SLOTS	WGT
FSM361248SB	3	36 7/16	12 7/8	48	24	189
FSM361260SB	3	36 7/16	12 7/8	60	24	209
FSM361266SB	3	36 7/16	12 7/8	66	24	220
FSM361272SB	3	36 7/16	12 7/8	72	24	230
FSM361276SB	3	36 7/16	12 7/8	76	24	238
FSM481248SB	4	48 1/8	12 7/8	48	32	227
FSM481260SB	4	48 1/8	12 7/8	60	32	253
FSM481266SB	4	48 1/8	12 7/8	66	32	266
FSM481272SB	4	48 1/8	12 7/8	72	32	276
FSM481276SB	4	48 1/8	12 7/8	76	32	285
FSM361648LB	3	36 7/16	16 7/8	48	24	213
FSM361660LB	3	36 7/16	16 7/8	60	24	239
FSM361666LB	3	36 7/16	16 7/8	66	24	251
FSM361672LB	3	36 7/16	16 7/8	72	24	264
FSM361676LB	3	36 7/16	16 7/8	76	24	278
FSM481648LB	4	48 1/8	16 7/8	48	32	254
FSM481660LB	4	48 1/8	16 7/8	60	32	286
FSM481666LB	4	48 1/8	16 7/8	66	32	301
FSM481672LB	4	48 1/8	16 7/8	72	32	317
FSM481676LB	4	48 1/8	16 7/8	76	32	328
FSM4216480B	3	42 7/16	16 7/8	48	24	239
FSM4216600B	3	42 7/16	16 7/8	60	24	266
FSM4216660B	3	42 7/16	16 7/8	66	24	281
FSM4216720B	3	42 7/16	16 7/8	72	24	294
FSM4216760B	3	42 7/16	16 7/8	76	24	304
FSM5616480B	4	56 1/8	16 7/8	48	32	285
FSM5616600B	4	56 1/8	16 7/8	60	32	318
FSM5616660B	4	56 1/8	16 7/8	66	32	337
FSM5616720B	4	56 1/8	16 7/8	72	32	353
FSM5616760B	4	56 1/8	16 7/8	76	32	364

With Bottom Storage with Sliding Shelf*



FSM481276SBSR

MODEL #	SEC	W	D	HGT	SLOTS	WGT
FSM361248SBSR	3	36 7/16	12 7/8	48	24	239
FSM361260SBSR	3	36 7/16	12 7/8	60	24	259
FSM361266SBSR	3	36 7/16	12 7/8	66	24	270
FSM361272SBSR	3	36 7/16	12 7/8	72	24	280
FSM361276SBSR	3	36 7/16	12 7/8	76	24	288
FSM481248SBSR	4	48 1/8	12 7/8	48	32	277
FSM481260SBSR	4	48 1/8	12 7/8	60	32	303
FSM481266SBSR	4	48 1/8	12 7/8	66	32	316
FSM481272SBSR	4	48 1/8	12 7/8	72	32	326
FSM481276SBSR	4	48 1/8	12 7/8	76	32	335
FSM361648LBSR	3	36 7/16	16 7/8	48	24	263
FSM361660LBSR	3	36 7/16	16 7/8	60	24	289
FSM361666LBSR	3	36 7/16	16 7/8	66	24	301
FSM361672LBSR	3	36 7/16	16 7/8	72	24	314
FSM361676LBSR	3	36 7/16	16 7/8	76	24	328
FSM481648LBSR	4	48 1/8	16 7/8	48	32	304
FSM481660LBSR	4	48 1/8	16 7/8	60	32	336
FSM481666LBSR	4	48 1/8	16 7/8	66	32	351
FSM481672LBSR	4	48 1/8	16 7/8	72	32	367
FSM481676LBSR	4	48 1/8	16 7/8	76	32	378
FSM421648OBSR	3	42 7/16	16 7/8	48	24	289
FSM421660OBSR	3	42 7/16	16 7/8	60	24	316
FSM421666OBSR	3	42 7/16	16 7/8	66	24	331
FSM421672OBSR	3	42 7/16	16 7/8	72	24	344
FSM421676OBSR	3	42 7/16	16 7/8	76	24	354
FSM561648OBSR	4	56 1/8	16 7/8	48	32	335
FSM561660OBSR	4	56 1/8	16 7/8	60	32	368
FSM561666OBSR	4	56 1/8	16 7/8	66	32	387
FSM561672OBSR	4	56 1/8	16 7/8	72	32	403
FSM561676OBSR	4	56 1/8	16 7/8	76	32	414

*Includes a sliding reference shelf above the bottom storage area.

With 12” Kickplate



FSM481672LK

MODEL #	SEC	W	D	HGT	SLOTS	WGT
FSM361248SK	3	36 7/16	12 7/8	48	39	186
FSM361260SK	3	36 7/16	12 7/8	60	39	207
FSM361266SK	3	36 7/16	12 7/8	66	39	217
FSM361272SK	3	36 7/16	12 7/8	72	39	228
FSM361276SK	3	36 7/16	12 7/8	76	39	234
FSM481248SK	4	48 1/8	12 7/8	48	52	226
FSM481260SK	4	48 1/8	12 7/8	60	52	252
FSM481266SK	4	48 1/8	12 7/8	66	52	265
FSM481272SK	4	48 1/8	12 7/8	72	52	273
FSM481276SK	4	48 1/8	12 7/8	76	52	281
FSM361648LK	3	36 7/16	16 7/8	48	39	213
FSM361660LK	3	36 7/16	16 7/8	60	39	239
FSM361666LK	3	36 7/16	16 7/8	66	39	252
FSM361672LK	3	36 7/16	16 7/8	72	39	264
FSM361676LK	3	36 7/16	16 7/8	76	39	282
FSM481648LK	4	48 1/8	16 7/8	48	52	253
FSM481660LK	4	48 1/8	16 7/8	60	52	286
FSM481666LK	4	48 1/8	16 7/8	66	52	301
FSM481672LK	4	48 1/8	16 7/8	72	52	317
FSM481676LK	4	48 1/8	16 7/8	76	52	327
FSM421648OK	3	42 7/16	16 7/8	48	39	238
FSM421660OK	3	42 7/16	16 7/8	60	39	266
FSM421666OK	3	42 7/16	16 7/8	66	39	279
FSM421672OK	3	42 7/16	16 7/8	72	39	294
FSM421676OK	3	42 7/16	16 7/8	76	39	304
FSM561648OK	4	56 1/8	16 7/8	48	52	277
FSM561660OK	4	56 1/8	16 7/8	60	52	317
FSM561666OK	4	56 1/8	16 7/8	66	52	334
FSM561672OK	4	56 1/8	16 7/8	72	52	352
FSM561676OK	4	56 1/8	16 7/8	76	52	363

All Wood Module Drawers



MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
MDSTD (Standard)	10 3/4	11 3/4	3 1/2	5
MDLGL (Legal)	10 3/4	15 3/4	3 1/2	7
MDOVR (Oversize)	12 3/4	15 3/4	3 1/2	8

MDOVR

Accessories for Standard Module Shelves

MODEL #	DESCRIPTION	W	D	HGT	WGT
RMS10	Single shelf	10 3/4	11 3/4		1
WRMS10	Laminated wood shelf	10 3/4	11 3/4	5/8	2
xRMS10	Shelf deduct < standard amt				n/a
INDx-S	index sheet				1
CVR-SF	Plastic index cover for front of shelf	10 3/4			1
CVR-SB	Plastic index cover for back of shelf	10			1
STBCK-S	Stick-on indexing extrusion	10 3/4			1

Accessories for Legal Module Shelves

MODEL #	DESCRIPTION	W	D	HGT	WGT
RMS14	Single shelf	10 3/4	15 3/4		1
WRMS14	Laminated wood shelf	10 3/4	15 3/4	5/8	2
xRMS14	Shelf deduct < standard amt				n/a
INDx-S	index sheet				1 4
CVR-SF	Plastic index cover for front of shelf	10 3/4			1
CVR-SB	Plastic index cover for back of shelf	10			1
STBCK-S	Stick-on indexing extrusion	10 3/4			1

Accessories for Oversize Module Shelves

MODEL #	DESCRIPTION	W	D	HGT	WGT
RMS12	Single shelf	12 3/4	15 3/4		1
WRMS12	Laminated wood shelf	12 3/4	15 3/4	5/8	2
xRMS12	Shelf deduct < standard amt				n/a
INDx-O	index sheet				1

Accessories for Oversize Module Shelves (cont.)

MODEL #	DESCRIPTION	W	D	HGT	WGT
CVR-OF	Plastic index cover for front of shelf	12 3/4			1
CVR-OB	Plastic index cover for back of shelf	12			1
STBCK-O	Stick-on indexing extrusion	12 3/4			1

Accessories for Zip Size Module Shelves

MODEL #	DESCRIPTION	W	D	HGT	WGT
RMSz	Single shelf	6 1/16	11 3/4		1
xRMSz	Shelf deduct < standard amt				

Accessories



MODEL #	DESCRIPTION
MRUSTL-24	18" Black undersurface task light
MRUSTLARM	Swivel-arm task light
MRTBwwhh	Tackboad (per square foot)

MRUSTL-24

Accessories Notes

1. Shelf supports and shelves are available in clear. Laminated wood shelves should be ordered in laminates with matching edge banding.

2. Shelves have full-width index channels on both the front and rear. The channel is encased with a clear plastic index cover.

3. Color-coded index strips are included with each module, one sheet (18 index strips) per column. If you want a specific color, you must request that color. If no specific color request is made, you will receive assorted colors.

4. Index strips are available in the following colors:

Green	Light Green
Magenta	Electric Yellow
Canary	Blue
Orange	White
Gold	Electric Pink

5. Indexing templates are available, at no charge, via our web site at www.hamiltoncs.com under the Resources section. Contact Customer Service for more information.

6. These special shelves are also available:
   Laminated wood shelves for additional weight capacity
   Shelves with 3" vertical back for open-back modules
   Shelves with half-size adapters for doubled sort openings.

7. Plexiglass doors are available in clear and smoked acrylic. If you are ordering an open-back sort module, specify whether the doors are going on the front or back of the unit. All doors are hinged on the left side and feature key or butterfly locks

8. When plexiglass doors are placed on the front of a closed-back sort module, they restrict placement of shelves on the three upper, two middle, and three lower shelf supports. Doors must be removed to reposition shelves in these supports.

9. Specify location of all clear-acrylic display boards. Do not specify display boards for corner sort modules in L- or U-shaped configurations when display boa ds are specified fo adjacent modules.

10.Tasklights and tackboards can be installed in the riser area of sort modules. Please specify fabric for tackboards.

Bulk Sort Units

With Flat Shelves*



SB551924

MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
One Shelf				
SB551924	56 1/8	19	24	110
SB691924	69 13/16	19	24	130
Two Shelves				
SB551936	56 1/8	19	36	160
SB691936	69 13/16	19	36	190
Three Shelves				
SB551948	56 1/8	19	48	230
SB691948	69 13/16	19	48	270

With Angled Shelves*



AB482061

MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
One Shelf				
AB482021	48 1/8	20	21	102
AB602021	59 13/16	20	21	122
Two Shelves				
AB482042	48 1/8	20	42	177
AB602042	59 13/16	20	42	209
Three Shelves				
AB482061	48 1/8	20	61	248
AB602061	59 13/16	20	61	272
Four Shelves				
AB482081	48 1/8	20	81	320
AB602081	59 13/16	20	81	377

*1.All Desktop Bulk Sort Units have an aluminum-extrusion front edge.

2. Units with flat shelves have an inside clearance of 10 13/16.

3. Units with angled shelves have a 1"x1" aluminum stop on shelf front.

4. Shelves are angled at 25 degrees, will hold three or four mail tubs per shelf (depending on model width), and have an inside clearance of 16 3/4 between angled shelves and a top shelf inside clear-ance of 12 1/4.


5. All Bulk Sort Units are shipped fully assembled.

6. For freight quotes, specify Class 100 and if dimensions are required, add 3" to each dimension for packing materials.

7. Color choice for Bulk Sort laminate and edge band-ing should be specified individually.

Masterseries **Consoles**

How to Specify Your Options



CC482430

Front Laminate (on CC Consoles)

Work Surface Laminate

Clearance Options
Dump Rim Option

Base Laminate

Wheel Option

Model	Description
V+ Count	Yes
x	No

*Count would indicate number of partitions required

Model	Description
L	Laminate
A	ABS
S	Stainless Steel

Console Type
CT = Basic Console
CH = Console w/Half-Depth Shelf
CS = Console w/Full-Depth Shelf
CC = Cabinet Console
Cx = Centered Modesty

Depth

Top Finish

Accepts Wheels
W = Wheel
x = No Wheel (for 9" clearance console only)

Wood Top Corner**
C = Wood Top
x = No Wood Top

Undertable Vertical Partitions

Locks

Model	Description
X	No locks
Y	Locks

C C 6 0 3 0 3 0 L B W x x 3 V 1 Y F C

Width

Height

Clearance Option
B = 3" Clearance
x = 9" Clearance

Dump Rim**
3 = Three Sided (F or B)
4 = Four Sided (F or B)
x = None

Adjustable Legs

Model	Description
x	No Adjust
A	Adjustable Legs

Handle Options

Model	Description
AA	Wire Pull Satin Nickel
AB	Wire Pull Black
AC	Modern Pull - Satin Nickel
AD	Modern Pull - Matte Black
AE	Bow Pull - Matte Black
AF	Square Pull - Satin Nickel
AG	Square Pull - Matte Black
AH	Square Pull - Dark Pewter
AI	Bar Pull - 6" Matte Black
AJ	Tab Pull - 3" Satin Nickel
AK	Tab Pull - 3" Matte Black
AL	Tab Pull - 6" Satin Nickel
AM	Tab Pull - 6" Matte Black
AN	Rectangular Knob Satin Nickel
AO	Inset Handle Brushed Nickel Bar
AP	Pull - 8" Matte Black
AQ	Bar Pull - 10" Matte Black
AR	Wire Pull - Antibacterial
AS	Push to Open - No Handle
SL	Contemporary Stainless - 16"
SS	Contemporary Stainless - 6"

†Recessed and bar not available on all units.

See page 60 for color codes.

*Wood top corners do not have the dump rim option.

Notes

1. All consoles feature modesty panels located at the rear. The half shelf on CH consoles is also located at the rear.

2. All consoles 36″ deep and 36″ or wider have support bars mounted front-to-rear under the workstation.

3. Wheels can be added to fixed-height consoles with 9″ floor clearance only. When adding wheels, add 'W' to the end of the model number to keep overall console height standard. Wheels must be ordered separately (see pg. 47).

4. Use Cx consoles where 48″ depth is required (see pg. 39).

5. Consoles 30″ or 36″ high with 9" clearances only can be fitted with adjustable legs. Order by adding 'A' to the end of the model number. Console height will adjust on 1/2″ increments between 28″-32″ on 30″ high consoles and 34″-38" on 36" high consoles.

6. Adjustable consoles have a 12" range, from 28″h to 40″h.

7. Crank handles and electrical switches are located on the right-hand side of the consoles.

8. All adjustable consoles feature a 3″ clearance.

9. Roller tables feature 22″w steel ball-bearing rollers mounted on 3″ centers and a styrene top.

10. All consoles are shipped knocked down. When getting freight quotes, specify Class 85. If dimensions are required, use 10″ for the height of the box and add 3″ to the width and depth of the console.

11. Modifications can be made to the width, depth, height of the console and the position of the modesty panel.

12. Inside dimensions

MODEL WIDTH	INSIDE WIDTH	MODEL DEPTH	HALF-SHELF DEPTH	FULL-SHELF DEPTH	MODEL HEIGHT	CAB HEIGHT 9″ CLEAR	CAB HEIGHT 3″ CLEAR
24	22 3/4	24	11 7/16	21 7/8	30	15 7/8	21 7/8
30	28	30	14 1/16	27 1/8	36	21 7/8	27 7/8
36	34 7/16	36	17 15/16	33 9/16	42	27 7/8	33 9/16
42	40 7/16						
48	46 1/8						
55	54 1/8						
60	57 13/16						
69	67 13/16						
72	69 1/2						
84	81 1/2						

Console Products

30" High with 9" Clearance



CT603030

MODEL #	WIDTH	DEPTH	WEIGHT
CT242430	24 3/4	24 3/4	73
CT243030	24 3/4	30	80
CT243630	24 3/4	36 7/16	90
CT302430	30	24 3/4	78
CT303030	30	30	87
CT303630	30	36 7/16	97
CT362430	36 7/16	24 3/4	86
CT363030	36 7/16	30	95
CT363630	36 7/16	36 7/16	106
CT422430	42 7/16	24 3/4	92
CT423030	42 7/16	30	102
CT423630	42 7/16	36 7/16	114
CT482430	48 1/8	24 3/4	99
CT483030	48 1/8	30	110
CT483630	48 1/8	36 7/16	122
CT552430	56 1/8	24 3/4	109
CT553030	56 1/8	30	120
CT553630	56 1/8	36 7/16	133
CT602430	59 13/16	24 3/4	113
CT603030	59 13/16	30	124
CT603630	59 13/16	36 7/16	139
CT692430	69 13/16	24 3/4	136
CT693030	69 13/16	30	150
CT693630	69 13/16	36 7/16	167
CT722430	71 1/2	24 3/4	142
CT723030	71 1/2	30	155
CT723630	71 1/2	36 7/16	172
CT842430	83 1/2	24 3/4	164
CT843030	83 1/2	30	179
CT843630	83 1/2	36 7/16	197

30" High with 3" Clearance



CT723630B

MODEL #	WIDTH	DEPTH	WEIGHT
CT242430B	24 3/4	24 3/4	78
CT243030B	24 3/4	30	86
CT243630B	24 3/4	36 7/16	96
CT302430B	30	24 3/4	84
CT303030B	30	30	92
CT303630B	30	36 7/16	102
CT362430B	36 7/16	24 3/4	91
CT363030B	36 7/16	30	100
CT363630B	36 7/16	36 7/16	111
CT422430B	42 7/16	24 3/4	98
CT423030B	42 7/16	30	108
CT423630B	42 7/16	36 7/16	120
CT482430B	48 1/8	24 3/4	105

30" High with 3" Clearance (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CT483030B	48 1/8	30	116
CT483630B	48 1/8	36 7/16	128
CT552430B	56 1/8	24 3/4	114
CT553030B	56 1/8	30	125
CT553630B	56 1/8	36 7/16	139
CT602430B	59 13/16	24 3/4	119
CT603030B	59 13/16	30	130
CT603630B	59 13/16	36 7/16	144
CT692430B	69 13/16	24 3/4	143
CT693030B	69 13/16	30	156
CT693630B	69 13/16	36 7/16	173
CT722430B	71 1/2	24 3/4	147
CT723030B	71 1/2	30	161
CT723630B	71 1/2	36 7/16	178
CT842430B	83 1/2	24 3/4	169
CT843030B	83 1/2	30	185
CT843630B	83 1/2	36 7/16	204

Options

MODIFICATION	MODEL # CHANGE
Accepts wheels	CTwwdd 30W
Wood top corner	CTwwdd 30C
Adjustable legs	CTwwdd 30A

36" High with 9" Clearance*



CT422436

MODEL #	WIDTH	DEPTH	WEIGHT
CT242436	24 3/4	24 3/4	81
CT243036	24 3/4	30	90
CT243636	24 3/4	36 7/16	101
CT302436	30	24 3/4	88
CT303036	30	30	97
CT303636	30	36 7/16	109
CT362436	36 7/16	24 3/4	96
CT363036	36 7/16	30	106
CT363636	36 7/16	36 7/16	118
CT422436	42 7/16	24 3/4	103
CT423036	42 7/16	30	113
CT423636	42 7/16	36 7/16	127
CT482436	48 1/8	24 3/4	110
CT483036	48 1/8	30	121
CT483636	48 1/8	36 7/16	135
CT552436	56 1/8	24 3/4	120
CT553036	56 1/8	30	132
CT553636	56 1/8	36 7/16	146
CT602436	59 13/16	24 3/4	124
CT603036	59 13/16	30	136
CT603636	59 13/16	36 7/16	152
CT692436	69 13/16	24 3/4	150

36" High with 9" Clearance* (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CT693036	69 13/16	30	165
CT693636	69 13/16	36 7/16	183
CT722436	71 1/2	24 3/4	155
CT723036	71 1/2	30	169
CT723636	71 1/2	36 7/16	188
CT842436	83 1/2	24 3/4	178
CT843036	83 1/2	30	195
CT843636	83 1/2	36 7/16	215

36" High with 3" Clearance



CT243636B

MODEL #	WIDTH	DEPTH	WEIGHT
CT242436B	24 3/4	24 3/4	87
CT243036B	24 3/4	30	96
CT243636B	24 3/4	36 7/16	107
CT302436B	30	24 3/4	94
CT303036B	30	30	102
CT303636B	30	36 7/16	114
CT362436B	36 7/16	24 3/4	101
CT363036B	36 7/16	30	111
CT363636B	36 7/16	36 7/16	123
CT422436B	42 7/16	24 3/4	109
CT423036B	42 7/16	30	119
CT423636B	42 7/16	36 7/16	132
CT482436B	48 1/8	24 3/4	116
CT483036B	48 1/8	30	127
CT483636B	48 1/8	36 7/16	141
CT552436B	56 1/8	24 3/4	125
CT553036B	56 1/8	30	138
CT553636B	56 1/8	36 7/16	152
CT602436B	59 13/16	24 3/4	130
CT603036B	59 13/16	30	142
CT603636B	59 13/16	36 7/16	157
CT692436B	69 13/16	24 3/4	156
CT693036B	69 13/16	30	171
CT693636B	69 13/16	36 7/16	189
CT722436B	71 1/2	24 3/4	161
CT723036B	71 1/2	30	176
CT723636B	71 1/2	36 7/16	194
CT842436B	83 1/2	24 3/4	184
CT843036B	83 1/2	30	201
CT843636B	83 1/2	36 7/16	220

Options

MODIFICATION	MODEL # CHANGE	PRICE
Accepts wheels	CTwwdd 36W	None
Wood top corner	CTwwdd 30C	None
Adjustable legs	CTwwdd 36A	38
42" height	CTwwdd 42	107

30" High Half-Shelf with 9" Clearance



CH603030

MODEL #	WIDTH	DEPTH	WEIGHT
CH242430	24 3/4	24 3/4	79
CH243030	24 3/4	30	88
CH243630	24 3/4	36 7/16	99
CH302430	30	24 3/4	86
CH303030	30	30	96
CH303630	30	36 7/16	108
CH362430	36 7/16	24 3/4	96
CH363030	36 7/16	30	107
CH363630	36 7/16	36 7/16	119
CH422430	42 7/16	24 3/4	105
CH423030	42 7/16	30	116
CH423630	42 7/16	36 7/16	130
CH482430	48 1/8	24 3/4	112
CH483030	48 1/8	30	124
CH483630	48 1/8	36 7/16	140
CH552430	56 1/8	24 3/4	124
CH553030	56 1/8	30	138
CH553630	56 1/8	36 7/16	154
CH602430	59 13/16	24 3/4	130
CH603030	59 13/16	30	143
CH603630	59 13/16	36 7/16	161
CH692430	69 13/16	24 3/4	158
CH693030	69 13/16	30	174
CH693630	69 13/16	36 7/16	195
CH722430	71 1/2	24 3/4	164
CH723030	71 1/2	30	180
CH723630	71 1/2	36 7/16	201
CH842430	83 1/2	24 3/4	190
CH843030	83 1/2	30	209
CH843630	83 1/2	36 7/16	232

30" High Half-Shelf with 3" Clearance*



CH722430B

MODEL #	WIDTH	DEPTH	WEIGHT
CH242430B	24 3/4	24 3/4	85
CH243030B	24 3/4	30	94
CH243630B	24 3/4	36 7/16	105
CH302430B	30	24 3/4	91
CH303030B	30	30	101
CH303630B	30	36 7/16	113
CH362430B	36 7/16	24 3/4	101
CH363030B	36 7/16	30	112
CH363630B	36 7/16	36 7/16	124
CH422430B	42 7/16	24 3/4	110
CH423030B	42 7/16	30	121
CH423630B	42 7/16	36 7/16	135
CH482430B	48 1/8	24 3/4	118
CH483030B	48 1/8	30	130
CH483630B	48 1/8	36 7/16	145

30" High Half-Shelf with 3" Clearance* (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CH552430B	56 1/8	24 3/4	130
CH553030B	56 1/8	30	143
CH553630B	56 1/8	36 7/16	161
CH602430B	59 13/16	24 3/4	135
CH603030B	59 13/16	30	149
CH603630B	59 13/16	36 7/16	166
CH692430B	69 13/16	24 3/4	165
CH693030B	69 13/16	30	180
CH693630B	69 13/16	36 7/16	201
CH722430B	71 1/2	24 3/4	169
CH723030B	71 1/2	30	186
CH723630B	71 1/2	36 7/16	207
CH842430B	83 1/2	24 3/4	196
CH843030B	83 1/2	30	216
CH843630B	83 1/2	36 7/16	239

Options

MODIFICATION	MODEL # CHANGE
Accepts wheels	CHwwdd30W
Adjustable legs	CHwwdd30A
42" height	CHwwdd42

36" High Half-Shelf with 9" Clearance*



CH363036

MODEL #	WIDTH	DEPTH	WEIGHT
CH242436	24 3/4	24 3/4	88
CH243036	24 3/4	30	98
CH243636	24 3/4	36 7/16	110
CH302436	30	24 3/4	96
CH303036	30	30	107
CH303636	30	36 7/16	120
CH362436	36 7/16	24 3/4	106
CH363036	36 7/16	30	117
CH363636	36 7/16	36 7/16	131
CH422436	42 7/16	24 3/4	114
CH423036	42 7/16	30	127
CH423636	42 7/16	36 7/16	142
CH482436	48 1/8	24 3/4	123
CH483036	48 1/8	30	136
CH483636	48 1/8	36 7/16	153
CH552436	56 1/8	4 3/4	135
CH553036	56 1/8	30	150
CH553636	56 1/8	36 7/16	167
CH602436	59 13/16	24 3/4	141
CH603036	59 13/16	30	155
CH603636	59 13/16	36 7/16	174
CH692436	69 13/16	24 3/4	172
CH693036	69 13/16	30	189
CH693636	69 13/16	36 7/16	210

36" High Half-Shelf with 9" Clearance* (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CH722436	71 1/2	24 3/4	177
CH723036	71 1/2	30	195
CH723636	71 1/2	36 7/16	218
CH842436	83 1/2	24 3/4	205
CH843036	83 1/2	30	228
CH843636	83 1/2	36 7/16	250

36" High Half-Shelf with 3" Clearance



CH483036B

MODEL #	WIDTH	DEPTH	WEIGHT
CH242436B	24 3/4	24 3/4	94
CH243036B	24 3/4	30	103
CH243636B	24 3/4	36 7/16	116
CH302436B	30	24 3/4	101
CH303036B	30	30	112
CH303636B	30	36 7/16	125
CH362436B	36 7/16	24 3/4	111
CH363036B	36 7/16	30	122
CH363636B	36 7/16	36 7/16	136
CH422436B	42 7/16	24 3/4	120
CH423036B	42 7/16	30	132
CH423636B	42 7/16	36 7/16	147
CH482436B	48 1/8	24 3/4	129
CH483036B	48 1/8	30	142
CH483636B	48 1/8	36 7/16	158
CH552436B	56 1/8	4 3/4	141
CH553036B	56 1/8	30	155
CH553636B	56 1/8	36 7/16	174
CH602436B	59 13/16	24 3/4	146
CH603036B	59 13/16	30	161
CH603636B	59 13/16	36 7/16	179
CH692436B	69 13/16	24 3/4	178
CH693036B	69 13/16	30	195
CH693636B	69 13/16	36 7/16	217
CH722436B	71 1/2	24 3/4	183
CH723036B	71 1/2	30	201
CH723636B	71 1/2	36 7/16	224
CH842436B	83 1/2	24 3/4	210
CH843036B	83 1/2	30	231
CH843636B	83 1/2	36 7/16	255

Options

MODIFICATION	MODEL # CHANGE
Accepts wheels	CHwwdd36W
Adjustable legs	CHwwdd36A
42" height	CHwwdd42

30" High Full-Shelf with 9" Clearance



CS423630

MODEL #	WIDTH	DEPTH	WEIGHT
CS242430	24 3/4	24 3/4	79
CS243030	24 3/4	30	88
CS243630	24 3/4	36 7/16	99
CS302430	30	24 3/4	86
CS303030	30	30	96
CS303630	30	36 7/16	108
CS362430	36 7/16	24 3/4	96
CS363030	36 7/16	30	107
CS363630	36 7/16	36 7/16	119
CS422430	42 7/16	24 3/4	105
CS423030	42 7/16	30	116
CS423630	42 7/16	36 7/16	130
CS482430	48 1/8	24 3/4	112
CS483030	48 1/8	30	124
CS483630	48 1/8	36 7/16	140
CS552430	56 1/8	24 3/4	124
CS553030	56 1/8	30	138
CS553630	56 1/8	36 7/16	154
CS602430	59 13/16	24 3/4	130
CS603030	59 13/16	30	143
CS603630	59 13/16	36 7/16	161
CS692430	69 13/16	24 3/4	158
CS693030	69 13/16	30	174
CS693630	69 13/16	36 7/16	195
CS722430	71 1/2	24 3/4	164
CS723030	71 1/2	30	180
CS723630	71 1/2	36 7/16	201
CS842430	83 1/2	24 3/4	190
CS843030	83 1/2	30	209
CS843630	83 1/2	36 7/16	232

30" High Full-Shelf with 3" Clearance



CS603030B

MODEL #	WIDTH	DEPTH	WEIGHT
CS242430B	24 3/4	24 3/4	85
CS243030B	24 3/4	30	94
CS243630B	24 3/4	36 7/16	105
CS302430B	30	24 3/4	91
CS303030B	30	30	101
CS303630B	30	36 7/16	113
CS362430B	36 7/16	24 3/4	101
CS363030B	36 7/16	30	112
CS363630B	36 7/16	36 7/16	124
CS422430B	42 7/16	24 3/4	110
CS423030B	42 7/16	30	121
CS423630B	42 7/16	36 7/16	135
CS482430B	48 1/8	24 3/4	118
CS483030B	48 1/8	30	130
CS483630B	48 1/8	36 7/16	145

30" High Full-Shelf with 3" Clearance (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CS552430B	56 1/8	24 3/4	130
CS553030B	56 1/8	30	143
CS553630B	56 1/8	36 7/16	161
CS602430B	59 13/16	24 3/4	135
CS603030B	59 13/16	30	149
CS603630B	59 13/16	36 7/16	166
CS692430B	69 13/16	24 3/4	165
CS693030B	69 13/16	30	180
CS693630B	69 13/16	36 7/16	201
CS722430B	71 1/2	24 3/4	169
CS723030B	71 1/2	30	186
CS723630B	71 1/2	36 7/16	207
CS842430B	83 1/2	24 3/4	196
CS843030B	83 1/2	30	216
CS843630B	83 1/2	36 7/16	239

Options

MODIFICATION	MODEL # CHANGE
Accepts wheels	CSwwdd30W
Adjustable legs	CSwwdd30A

36" High Full-Shelf with 9" Clearance



CS422436

MODEL #	WIDTH	DEPTH	WEIGHT
CS242436	24 3/4	24 3/4	96
CS243036	24 3/4	30	107
CS243636	24 3/4	36 7/16	120
CS302436	30	24 3/4	106
CS303036	30	30	118
CS303636	30	36 7/16	132
CS362436	36 7/16	24 3/4	117
CS363036	36 7/16	30	130
CS363636	36 7/16	36 7/16	146
CS422436	42 7/16	24 3/4	128
CS423036	42 7/16	30	142
CS423636	42 7/16	36 7/16	160
CS482436	48 1/8	24 3/4	139
CS483036	48 1/8	30	154
CS483636	48 1/8	36 7/16	173
CS552436	56 1/8	24 3/4	153
CS553036	56 1/8	30	169
CS553636	56 1/8	36 7/16	190
CS602436	59 13/16	24 3/4	160
CS603036	59 13/16	30	177
CS603636	59 13/16	36 7/16	198
CS692436	69 13/16	24 3/4	196
CS693036	69 13/16	30	217
CS693636	69 13/16	36 7/16	243
CS722436	71 1/2	24 3/4	202

36" High Full-Shelf with 9" Clearance (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CS723036	71 1/2	30	224
CS723636	71 1/2	36 7/16	251
CS842436	83 1/2	24 3/4	234
CS843036	83 1/2	30	259
CS843636	83 1/2	36 7/16	288

36" High Full-Shelf with 3" Clearance



CS603636B

MODEL #	WIDTH	DEPTH	WEIGHT
CS242436B	24 3/4	24 3/4	112
CS243036B	24 3/4	30	125
CS243636B	24 3/4	36 7/16	130
CS302436B	30	24 3/4	123
CS303036B	30	30	138
CS303636B	30	36 7/16	144
CS362436B	36 7/16	24 3/4	135
CS363036B	36 7/16	30	152
CS363636B	36 7/16	36 7/16	158
CS422436B	42 7/16	24 3/4	147
CS423036B	42 7/16	30	165
CS423636B	42 7/16	36 7/16	173
CS482436B	48 1/8	24 3/4	160
CS483036B	48 1/8	30	178
CS483636B	48 1/8	36 7/16	211
CS552436B	56 1/8	24 3/4	175
CS553036B	56 1/8	30	196
CS553636B	56 1/8	36 7/16	232
CS602436B	59 13/16	24 3/4	183
CS603036B	59 13/16	30	204
CS603636B	59 13/16	36 7/16	242
CS692436B	69 13/16	24 3/4	202
CS693036B	69 13/16	30	227
CS693636B	69 13/16	36 7/16	268
CS722436B	71 1/2	24 3/4	209
CS723036B	71 1/2	30	233
CS723636B	71 1/2	36 7/16	276
CS842436B	83 1/2	24 3/4	241
CS843036B	83 1/2	30	267
CS843636B	83 1/2	36 7/16	316

Options

MODIFICATION	MODEL # CHANGE	PRICE
Accepts wheels	CSwwdd36W	None
Adjustable legs	CSwwdd36A	38
42" height	CSwwdd42	107

30" Cabinet with 9" Clearance



CC302430

MODEL #	WIDTH	DEPTH	WEIGHT
CC242430	24 3/4	24 3/4	94
CC243030	24 3/4	30	103
CC243630	24 3/4	36 7/16	116
CC302430	30	24 3/4	103
CC303030	30	30	114
CC303630	30	36 7/16	129
CC362430	36 7/16	24 3/4	117
CC363030	36 7/16	30	129
CC363630	36 7/16	36 7/16	144
CC422430	42 7/16	24 3/4	129
CC423030	42 7/16	30	142
CC423630	42 7/16	36 7/16	158
CC482430	48 1/8	24 3/4	140
CC483030	48 1/8	30	154
CC483630	48 1/8	36 7/16	172
CC552430	56 1/8	24 3/4	156
CC553030	56 1/8	30	172
CC553630	56 1/8	36 7/16	191
CC602430	59 13/16	24 3/4	164
CC603030	59 13/16	30	180
CC603630	59 13/16	36 7/16	200
CC692430	69 13/16	24 3/4	202
CC693030	69 13/16	30	221
CC693630	69 13/16	36 7/16	246
CC722430	71 1/2	24 3/4	209
CC723030	71 1/2	30	221
CC723630	71 1/2	36 7/16	254
CC842430	83 1/2	24 3/4	243
CC843030	83 1/2	30	266
CC843630	83 1/2	36 7/16	295

30" Cabinet with 3" Clearance



CC603030B

MODEL #	WIDTH	DEPTH	WEIGHT
CC242430B	24 3/4	24 3/4	99
CC243030B	24 3/4	30	109
CC243630B	24 3/4	36 7/16	121
CC302430B	30	24 3/4	109
CC303030B	30	30	120
CC303630B	30	36 7/16	134
CC362430B	36 7/16	24 3/4	122
CC363030B	36 7/16	30	134
CC363630B	36 7/16	36 7/16	150
CC422430B	42 7/16	24 3/4	134
CC423030B	42 7/16	30	147
CC423630B	42 7/16	36 7/16	164
CC482430B	48 1/8	24 3/4	145
CC483030B	48 1/8	30	160
CC483630B	48 1/8	36 7/16	177

30" Cabinet with 3" Clearance (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CC552430B	56 1/8	24 3/4	162
CC553030B	56 1/8	30	177
CC553630B	56 1/8	36 7/16	197
CC602430B	59 13/16	24 3/4	169
CC603030B	59 13/16	30	186
CC603630B	59 13/16	36 7/16	206
CC692430B	69 13/16	24 3/4	208
CC693030B	69 13/16	30	228
CC693630B	69 13/16	36 7/16	253
CC722430B	71 1/2	24 3/4	216
CC723030B	71 1/2	30	234
CC723630B	71 1/2	36 7/16	261
CC842430B	83 1/2	24 3/4	250
CC843030B	83 1/2	30	273
CC843630B	83 1/2	36 7/16	301

Options

MODIFICATION	MODEL # CHANGE
Accepts wheels	CCwwdd30W
Adjustable legs	CCwwdd30A

36" Cabinet with 9" Clearance



CC363036

MODEL #	WIDTH	DEPTH	WEIGHT
CC242436	24 3/4	24 3/4	103
CC243036	24 3/4	30	116
CC243636	24 3/4	36 7/16	129
CC302436	30	24 3/4	116
CC303036	30	30	128
CC303636	30	36 7/16	142
CC362436	36 7/16	24 3/4	127
CC363036	36 7/16	30	142
CC363636	36 7/16	36 7/16	158
CC422436	42 7/16	24 3/4	142
CC423036	42 7/16	30	156
CC423636	42 7/16	36 7/16	174
CC482436	48 1/8	24 3/4	154
CC483036	48 1/8	30	169
CC483636	48 1/8	36 7/16	188
CC552436	56 1/8	24 3/4	172
CC553036	56 1/8	30	188
CC553636	56 1/8	36 7/16	209
CC602436	59 13/16	24 3/4	179
CC603036	59 13/16	30	197
CC603636	59 13/16	36 7/16	218
CC692436	69 13/16	24 3/4	221
CC693036	69 13/16	30	242
CC693636	69 13/16	36 7/16	267
CC722436	71 1/2	24 3/4	229

36" Cabinet with 9" Clearance (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CC723036	71 1/2	30	250
CC723636	71 1/2	36 7/16	276
CC842436	83 1/2	24 3/4	265
CC843036	83 1/2	30	289
CC843636	83 1/2	36 7/16	319

36" Cabinet with 3" Clearance



CC603036B

MODEL #	WIDTH	DEPTH	WEIGHT
CC242436B	24 3/4	24 3/4	120
CC243036B	24 3/4	30	130
CC243636B	24 3/4	36 7/16	134
CC302436B	30	24 3/4	130
CC303036B	30	30	140
CC303636B	30	36 7/16	147
CC362436B	36 7/16	24 3/4	150
CC363036B	36 7/16	30	160
CC363636B	36 7/16	36 7/16	164
CC422436B	42 7/16	24 3/4	155
CC423036B	42 7/16	30	170
CC423636B	42 7/16	36 7/16	179
CC482436B	48 1/8	24 3/4	170
CC483036B	48 1/8	30	190
CC483636B	48 1/8	36 7/16	210
CC552436B	56 1/8	24 3/4	177
CC553036B	56 1/8	30	194
CC553636B	56 1/8	36 7/16	215
CC602436B	59 13/16	24 3/4	185
CC603036B	59 13/16	30	202
CC603636B	59 13/16	36 7/16	223
CC692436B	69 13/16	24 3/4	228
CC693036B	69 13/16	30	249
CC693636B	69 13/16	36 7/16	274
CC722436B	71 1/2	24 3/4	234
CC723036B	71 1/2	30	255
CC723636B	71 1/2	36 7/16	282
CC842436B	83 1/2	24 3/4	271
CC843036B	83 1/2	30	295
CC843636B	83 1/2	36 7/16	326

Options

MODIFICATION	MODEL # CHANGE
Accepts wheels	CCwwdd30W
Adjustable legs	CCwwdd30A
42" height	CCwwdd42

30″ High Center Mount Modesty



CX483630

MODEL #	WIDTH	DEPTH	WEIGHT
CX303030	30	30	92
CX303630	30	36 7/16	102
CX363030	36 7/16	30	100
CX363630	36 7/16	36 7/16	111
CX423030	42 7/16	30	108
CX423630	42 7/16	36 7/16	120
CX483030	48 1/8	30	116
CX483630	48 1/8	36 7/16	128
CX484830	48 1/8	48	150
CX553030	56 1/8	30	125
CX553630	56 1/8	36 7/16	139
CX554830	56 1/8	48	163
CX603030	59 13/16	30	130
CX603630	59 13/16	36 7/16	144
CX604830	59 13/16	48	168
CX693030	69 13/16	30	150
CX693630	69 13/16	36 7/16	167
CX694830	69 13/16	48	197
CX723030	71 1/2	30	155
CX723630	71 1/2	36 7/16	172
CX724830	71 1/2	48	209
CX843030	83 1/2	30	179
CX843630	83 1/2	36 7/16	197
CX844830	83 1/2	48	236

36″ High Center Mount Modesty



CX484836

MODEL #	WIDTH	DEPTH	WEIGHT
CX303036	30	30	102
CX303636	30	36 7/16	114
CX363036	36 7/16	30	111
CX363636	36 7/16	36 7/16	123
CX423036	42 7/16	30	119
CX423636	42 7/16	36 7/16	132
CX483036	48 1/8	30	127
CX483636	48 1/8	36 7/16	141
CX484836	48 1/8	48	165
CX553036	56 1/8	30	138
CX553636	56 1/8	36 7/16	152
CX554836	56 1/8	48	178
CX603036	59 13/16	30	142
CX603636	59 13/16	36 7/16	157
CX604836	59 13/16	48	185
CX693036	69 13/16	30	165
CX693636	69 13/16	36 7/16	183
CX694836	69 13/16	48	221
CX723036	71 1/2	30	169
CX723636	71 1/2	36 7/16	188
CX724836	71 1/2	48	226
CX843036	83 1/2	30	195
CX843636	83 1/2	36 7/16	215
CX844836	83 1/2	48	253

When modifying the door clearance and adding shelves or cabinets to a CX console, specify clear-ance first and shelf/cabinet second. For example, a CX603030 with optional 3″ clearance and front cabinet is specified as CX603030BD.

Contact HAMILTON for the constraints of wheels on CX consoles.


Options

MODEL #	DESCRIPTION
Hx	Front Shelf
HH	Front & Back Shelf
Dx	Front Cabinet
DD	Front & Back Cabinet
DH	Front Cabinet & Back Shelf
Bx	3" Clearance

**Doors indicated by “D” and require handle specification

Specialty Consoles

How to Specify Your Options



MANIFEST SHIPPING CONSOLE

Model	Description
x	No Adjust
A	Adjustable Legs

Manifest Shipping Console | Depth | Adjustable Legs

M A N 6 0 3 0 L A - W P

Width | Top Finish | Handle Options

Model	Description
L	Laminate
A	ABS
S	Stainless Steel

Handle Options†

Model	Description
AA	Wire Pull Satin Nickel
AB	Wire Pull Black
AC	Modern Pull - Satin Nickel
AD	Modern Pull - Matte Black
AE	Bow Pull - Matte Black
AF	Square Pull - Satin Nickel
AG	Square Pull - Matte Black
AH	Square Pull - Dark Pewter
AI	Bar Pull - 6" Matte Black
AJ	Tab Pull - 3" Satin Nickel
AK	Tab Pull - 3" Matte Black
AL	Tab Pull - 6" Satin Nickel
AM	Tab Pull - 6" Matte Black
AN	Rectangular Knob Satin Nickel
AO	Inset Handle Brushed Nickel Bar
AP	Pull - 8" Matte Black
AQ	Bar Pull - 10" Matte Black
AR	Wire Pull - Antibacterial
AS	Push to Open - No Handle
SL	Contemporary Stainless - 16"
SS	Contemporary Stainless - 6"

†Recessed and bar not available on all units.

See page 60 for color codes.

Notes

1. If you need a shipping console with a 3" floor clearance or with a 36" console height, you must order each component separately (console, platform and keyboard tray.)

2. Shipping stations are shipped knocked down. When getting freight quotes, specify Class 85. If dimensions are required, use 10" for the height of the box and add 3" to the width and depth of the console.

CRANK ADJUSTABLE CONSOLE

Model	Description
x	No Wheels
W	With Wheels

*Available on 30" and 36" widths only
*Wheels are sold separately

Adjustable Console | Depth | **Adjustable** Crank = ADJ Electric = ELE | Wheels

C T 3 0 3 0 2 4 A D J L W

Width | Height | Top Finish

Model	Description
L	Laminate
A	ABS
S	Stainless Steel

Specialty Consoles

Manifest Shipping



MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
MAN4830	48 1/8	30	48	211
MAN6030	59 13/16	30	48	251
MAN7230	71 1/2	30	48	286

MAN4830

Manifest Shipping Stations include a 30″d x 30″h cabinet console with a 9″ floor clearance, three grommets in the rear of the worksurface, two cable cutouts in the back panel, and a 17 5/8 deep heavy-duty platform with an 8″ high back panel. There is an open space between the back panel and the aluminum extrusion for cable management; and a keyboard tray with mousepad.

Packaging Station



MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
PAC7230	71 1/2	30	48	318

Packaging Station consists of a CC723030 with ABS top, E721618 and four VLPT3030.

PAC7230

Options

MODIFICATION	MODEL # CHANGE
Adjustable legs	xxxwwddA

Crank Adjustable



MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
CT303024ADJ	30	30	28-40	187
CT363024ADJ	36 7/16	30	28-40	195
CT483024ADJ	48 1/8	30	28-40	202
CT603024ADJ	59 13/16	30	28-40	224

CT303024ADJ

Electric Adjustable



MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
CT303024ELE	30	30	28-40	187
CT363024ELE	36 7/16	30	28-40	195
CT483024ELE	48 1/8	30	28-40	202
CT603024ELE	59 13/16	30	28-40	224

CT363024ELE

Accessories

MODEL #	DESCRIPTION
WHL-ADJ	Set of 4 wheels for adjustable console Available for 30″ and 36″ widths only

Adjustable Scale



MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
SU263030	26	30	30	90
SU263630	26	36 7/16	30	100
SU263036	26	30	36	100
SU263636	26	36 7/16	36	110

SU263030

Platforms for Adjustable Scale



MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
E261612	26	16 7/8	12	27
E261618	26	16 7/8	18	33

E262612

Options

MODIFICATION	MODEL # CHANGE
Aluminum extrusion platform	E2616hhM
Drill top for wire dividers	E2616hhD

With Rollers




MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
CR363030	36 7/16	30	30	98
CR363036	36 7/16	30	36	108
CR363630	36 7/16	36 7/16	30	108
CR363636	36 7/16	36 7/16	36	119
CR483030	48 1/8	30	30	116
CR483036	48 1/8	30	36	126
CR483630	48 1/8	36 7/16	30	127
CR483636	48 1/8	36 7/16	36	139
CR603030	59 13/16	30	30	133
CR603036	59 13/16	30	36	144
CR603630	59 13/16	36 7/16	30	146
CR603636	59 13/16	36 7/16	36	158
CR723030	71 1/2	30	30	152
CR723036	71 1/2	30	36	164
CR723630	71 1/2	36 7/16	30	166
CR723636	71 1/2	36 7/16	36	164
CR843030	83 1/2	30	30	176
CR843036	83 1/2	30	36	189
CR843630	83 1/2	36 7/16	30	186
CR843636	83 1/2	36 7/16	36	205

CR363630

Intermediate Shelf for Console

How to Specify Your Options



Type of Shelf
CH = Half Shelf
CF = Full Shelf

Clearance Option
B = 3″ Clearance
x = 9″ Clearance

C H S 6 0 3 6 3 0 B - I

Dimensions of Console for Shelf

Intermediate Shelf

See page 60 for color codes.

Notes

1. Intermediate shelves are not fastened to the console shelf and can be removed.

2. Shelves are sent with double-faced adhesive tape for optional fastening.

3. Shelves 54″ or wider feature a center leg for additional support.

4. Intermediate shelves are shipped knocked down. When getting freight quotes, specify Class 85. If dimensions are required, use 6″ for height and add 3″ to width and depth for packing materials.

5. Modifications may be made to the width, depth and height.

Intermediate Shelf Consoles

30" Half-Depth with 9" Clearance



CHS603030-I

MODEL #	WIDTH	DEPTH	WEIGHT
CHS242430-I	22 11/16	24 3/4	12
CHS243030-I	22 11/16	30	13
CHS243630-I	22 11/16	36 7/16	15
CHS302430-I	27 15/16	24 3/4	12
CHS303030-I	27 15/16	30	14
CHS303630-I	27 15/16	36 7/16	17
CHS362430-I	34 3/8	24 3/4	13
CHS363030-I	34 3/8	30	15
CHS363630-I	34 3/8	36 7/16	18
CHS422430-I	40 3/8	24 3/4	14
CHS423030-I	40 3/8	30	17
CHS423630-I	40 3/8	36 7/16	20
CHS482430-I	46 1/16	24 3/4	14
CHS483030-I	46 1/16	30	18
CHS483630-I	46 1/16	36 7/16	21
CHS552430-I	54	24 3/4	18
CHS553030-I	54	30	21
CHS553630-I	54	36 7/16	25
CHS602430-I	57 3/4	24 3/4	18
CHS603030-I	57 3/4	30	22
CHS603630-I	57 3/4	36 7/16	26
CHS692430-I	67 3/4	24 3/4	20
CHS693030-I	67 3/4	30	24
CHS693630-I	67 3/4	36 7/16	29
CHS722430-I	69 3/8	24 3/4	20
CHS723030-I	69 3/8	30	24
CHS723630-I	69 3/8	36 7/16	29
CHS842430-I	81 3/8	24 3/4	21
CHS843030-I	81 3/8	30	26
CHS843630-I	81 3/8	36 7/16	32

All half-depth intermediate shelves for 30" consoles with 9" clearance have a height of 8½".

30" Half-Depth with 3" Clearance

CHS3024308-I

MODEL #	WIDTH	DEPTH	WEIGHT
CHS242430B-I	22 11/16	24 3/4	19
CHS243030B-I	22 11/16	30	22
CHS243630B-I	22 11/16	36 7/16	24
CHS302430B-I	27 15/16	24 3/4	20
CHS303030B-I	27 15/16	30	23
CHS303630B-I	27 15/16	36 7/16	25
CHS362430B-I	34 3/8	24 3/4	21
CHS363030B-I	34 3/8	30	23
CHS363630B-I	34 3/8	36 7/16	26
CHS422430B-I	40 3/8	24 3/4	22
CHS423030B-I	40 3/8	30	25
CHS423630B-I	40 3/8	36 7/16	29

30" Half-Depth with 3" Clearance (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CHS482430B-I	46 1/16	24 3/4	22
CHS483030B-I	46 1/16	30	25
CHS483630B-I	46 1/16	36 7/16	30
CHS552430B-I	54	24 3/4	25
CHS553030B-I	54	30	31
CHS553630B-I	54	36 7/16	35
CHS602430B-I	57 3/4	24 3/4	26
CHS603030B-I	57 3/4	30	32
CHS603630B-I	57 3/4	36 7/16	36
CHS692430B-I	67 3/4	24 3/4	28
CHS693030B-I	67 3/4	30	33
CHS693630B-I	67 3/4	36 7/16	39
CHS722430B-I	69 3/8	24 3/4	29
CHS723030B-I	69 3/8	30	34
CHS723630B-I	69 3/8	36 7/16	40
CHS842430B-I	81 3/8	24 3/4	30
CHS843030B-I	81 3/8	30	36
CHS843630B-I	81 3/8	36 7/16	42

All half-depth intermediate shelves for 30" consoles with 3" clearance have a height of 13".

36" Half-Depth with 9" Clearance

CHS302436-I

MODEL #	WIDTH	DEPTH	WEIGHT
CHS242436-I	22 11/16	10	13
CHS243036-I	22 11/16	13	17
CHS243636-I	22 11/16	16	19
CHS302436-I	27 15/16	10	14
CHS303036-I	27 15/16	13	18
CHS303636-I	27 15/16	16	20
CHS362436-I	34 3/8	10	15
CHS363036-I	34 3/8	13	18
CHS363636-I	34 3/8	16	21
CHS422436-I	40 3/8	10	17
CHS423036-I	40 3/8	13	20
CHS423636-I	40 3/8	16	23
CHS482436-I	46 1/16	10	17
CHS483036-I	46 1/16	13	20
CHS483636-I	46 1/16	16	24
CHS552436-I	54	10	20
CHS553036-I	54	13	25
CHS553636-I	54	16	30
CHS602436-I	57 3/4	10	21
CHS603036-I	57 3/4	13	26
CHS603636-I	57 3/4	16	31
CHS692436-I	67 3/4	10	22
CHS693036-I	67 3/4	13	28
CHS693636-I	67 3/4	16	33
CHS722436-I	69 3/8	10	23
CHS723036-I	69 3/8	13	29

36" Half-Depth with 9" Clearance (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CHS723636-I	69 3/8	16	34
CHS842436-I	81 3/8	10	24
CHS843036-I	81 3/8	13	31
CHS843636-I	81 3/8	16	36

All half-depth intermediate shelves for 36" consoles with 9" clearance have a height of 13".

36" Half-Depth with 3" Clearance



CHS603036B-I

MODEL #	WIDTH	DEPTH	WEIGHT
CHS242436B-I	22 11/16	10	18
CHS243036B-I	22 11/16	13	19
CHS243636B-I	22 11/16	16	21
CHS302436B-I	27 15/16	10	18
CHS303036B-I	27 15/16	13	20
CHS303636B-I	27 15/16	16	22
CHS362436B-I	34 3/8	10	19
CHS363036B-I	34 3/8	13	21
CHS363636B-I	34 3/8	16	23
CHS422436B-I	40 3/8	10	20
CHS423036B-I	40 3/8	13	22
CHS423636B-I	40 3/8	16	25
CHS482436B-I	46 1/16	10	20
CHS483036B-I	46 1/16	13	23
CHS483636B-I	46 1/16	16	26
CHS552436B-I	54	10	23
CHS553036B-I	54	13	26
CHS553636B-I	54	16	31
CHS602436B-I	57 3/4	10	23
CHS603036B-I	57 3/4	13	28
CHS603636B-I	57 3/4	16	32
CHS692436B-I	67 3/4	10	25
CHS693036B-I	67 3/4	13	30
CHS693636B-I	67 3/4	16	34
CHS722436B-I	69 3/8	10	25
CHS723036B-I	69 3/8	13	30
CHS723636B-I	69 3/8	16	34
CHS842436B-I	81 3/8	10	26
CHS843036B-I	81 3/8	13	32
CHS843636B-I	81 3/8	16	37

All half-depth intermediate shelves for 36" consoles with 3" clearance have a height of 17".

Options

MODIFICATION	MODEL # CHANGE
For 42" h consoles	CHSwwdd 42-I

30" Full-Depth with 9" Clearance



CFS243630-I

MODEL #	WIDTH	DEPTH	WEIGHT
CFS242430-I	22 11/16	20	18
CFS243030-I	22 11/16	26	22
CFS243630-I	22 11/16	32	25
CFS302430-I	27 15/16	20	20
CFS303030-I	27 15/16	26	24
CFS303630-I	27 15/16	32	29
CFS362430-I	34 3/8	20	21
CFS363030-I	34 3/8	26	31
CFS363630-I	34 3/8	32	33
CFS422430-I	40 3/8	20	23
CFS423030-I	40 3/8	26	29
CFS423630-I	40 3/8	32	34
CFS482430-I	46 1/16	20	24
CFS483030-I	46 1/16	26	31
CFS483630-I	46 1/16	32	36
CFS552430-I	54	20	30
CFS553030-I	54	26	37
CFS553630-I	54	32	45
CFS602430-I	57 3/4	20	31
CFS603030-I	57 3/4	26	40
CFS603630-I	57 3/4	32	47
CFS692430-I	67 3/4	20	34
CFS693030-I	67 3/4	26	43
CFS693630-I	67 3/4	32	52
CFS722430-I	69 3/8	20	34
CFS723030-I	69 3/8	26	44
CFS723630-I	69 3/8	32	53
CFS842430-I	81 3/8	20	37
CFS843030-I	81 3/8	26	48
CFS843630-I	81 3/8	32	59

All full-depth intermediate shelves for 30" consoles with 9" clearance have a height of 8½".

30" Full-Depth with 3" Clearance



CFS603030B-I

MODEL #	WIDTH	DEPTH	WEIGHT
CFS242430B-I	22 11/16	20	26
CFS243030B-I	22 11/16	26	32
CFS243630B-I	22 11/16	32	36
CFS302430B-I	27 15/16	20	29
CFS303030B-I	27 15/16	26	34
CFS303630B-I	27 15/16	32	40
CFS362430B-I	34 3/8	20	30
CFS363030B-I	34 3/8	26	36
CFS363630B-I	34 3/8	32	42
CFS422430B-I	40 3/8	20	32
CFS423030B-I	40 3/8	26	39
CFS423630B-I	40 3/8	32	45
CFS482430B-I	46 1/16	20	33
CFS483030B-I	46 1/16	26	41

30" Full-Depth with 3" Clearance* (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CFS483630B-I	46 1/16	32	47
CFS552430B-I	54	20	41
CFS553030B-I	54	26	50
CFS553630B-I	54	32	59
CFS602430B-I	57 3/4	20	42
CFS603030B-I	57 3/4	26	52
CFS603630B-I	57 3/4	32	62
CFS692430B-I	67 3/4	20	45
CFS693030B-I	67 3/4	26	55
CFS693630B-I	67 3/4	32	66
CFS722430B-I	69 3/8	20	45
CFS723030B-I	69 3/8	26	56
CFS723630B-I	69 3/8	32	67
CFS842430B-I	81 3/8	20	48
CFS843030B-I	81 3/8	26	62
CFS843630B-I	81 3/8	32	74

All full-depth intermediate shelves for 30" consoles with 3" clearance have a height of 13".

36" Full-Depth with 9" Clearance



CFS603036-I

MODEL #	WIDTH	DEPTH	WEIGHT
CFS242436-I	22 11/16	20	21
CFS243036-I	22 11/16	26	26
CFS243636-I	22 11/16	32	31
CFS302436-I	27 15/16	20	23
CFS303036-I	27 15/16	26	29
CFS303636-I	27 15/16	32	34
CFS362436-I	34 3/8	20	24
CFS363036-I	34 3/8	26	31
CFS363636-I	34 3/8	32	36
CFS422436-I	40 3/8	20	26
CFS423036-I	40 3/8	26	33
CFS423636-I	40 3/8	32	40
CFS482436-I	46 1/16	20	28
CFS483036-I	46 1/16	26	35
CFS483636-I	46 1/16	32	42
CFS552436-I	54	20	35
CFS553036-I	54	26	44
CFS553636-I	54	32	54
CFS602436-I	57 3/4	20	36
CFS603036-I	57 3/4	26	46
CFS603636-I	57 3/4	32	56
CFS692436-I	67 3/4	20	40
CFS693036-I	67 3/4	26	50
CFS693636-I	67 3/4	32	61
CFS722436-I	69 3/8	20	40
CFS723036-I	69 3/8	26	51
CFS723636-I	69 3/8	32	62

36" Full-Depth with 9" Clearance (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
CFS842436-I	81 3/8	20	43
CFS843036-I	81 3/8	26	56
CFS843636-I	81 3/8	32	68

All full-depth intermediate shelves for 36" consoles with 9" clearance have a height of 13".

36" Full-Depth with 3" Clearance



CFS362436B-I

MODEL #	WIDTH	DEPTH	WEIGHT
CFS242436B-I	22 11/16	20	23
CFS243036B-I	22 11/16	26	38
CFS243636B-I	22 11/16	32	31
CFS302436B-I	27 15/16	20	25
CFS303036B-I	27 15/16	26	30
CFS303636B-I	27 15/16	32	34
CFS362436B-I	34 3/8	20	26
CFS363036B-I	34 3/8	26	32
CFS363636B-I	34 3/8	32	36
CFS422436B-I	40 3/8	20	29
CFS423036B-I	40 3/8	26	34
CFS423636B-I	40 3/8	32	40
CFS482436B-I	46 1/16	20	30
CFS483036B-I	46 1/16	26	35
CFS483636B-I	46 1/16	32	42
CFS552436B-I	54	20	35
CFS553036B-I	54	26	43
CFS553636B-I	54	32	51
CFS602436B-I	57 3/4	20	36
CFS603036B-I	57 3/4	26	45
CFS603636B-I	57 3/4	32	53
CFS692436B-I	67 3/4	20	40
CFS693036B-I	67 3/4	26	48
CFS693636B-I	67 3/4	32	57
CFS722436B-I	69 3/8	20	40
CFS723036B-I	69 3/8	26	50
CFS723636B-I	69 3/8	32	58
CFS842436B-I	81 3/8	20	43
CFS843036B-I	81 3/8	26	54
CFS843636B-I	81 3/8	32	65

All full-depth intermediate shelves for 36" consoles with 3" clearance have a height of 17".

Options

MODIFICATION	MODEL # CHANGE
For 42" h consoles	CHSwwdd 42-I

Console Accessories

How to Specify Your Options

DUMP RIMS

1. Dump rims can be added to an individual console or around the perimeter of configurations

2. Dump rim model numbers represent the length of the console edge specified

3. Specify side dump rims by adding 'S' to the end of the model number. Specify angled side rims by adding 'AS' to the end of the model number. Side dump rims for consoles with modules are also available.

4. To order 3-sided dump rims around a single console, order the following quantities:

Example: CC603030

Model #	Quantity
DR60	1
DR30AS	2
DRB-L	2 (to connect dump rims at corners)

When placing two consoles side-by-side with 3-sided dump rims across the full width of the consoles, order the following quantities:

Example: (2) CC603030

Model #	Quantity
DR60	2
DR30AS	2
DRB-L	2
DRB-H	1 (to connect dump rims across the console backs)

BRACKETS

All consoles are shipped with an interior bracket to connect adjacent tables. A Cx-Clip is a decorative exterior bracket option.



Interior Bracket



Cx-Clip

WHEELS

1. Wheels (5″ diameter) are recommended for consoles up to 60″ wide x 36″ deep.

2. When ordering consoles with wheels, add 'W' to the end of the model number to keep the overall height standard. The normal wheel configuration is four swivel wheels.

Notes

1. A wrapping feature can be added to CS and CC consoles. This includes a paper-holder mounted to the shelf designed to hold up to $25^{13}/_{16}$″ or $31^{13}/_{16}$″ wide rolls, a knife bar mounted to the top and a slot in the left side of the console top. Specify alternative locations if desired.

2. When ordering MRSLOT, specify slot width, depth and location from the edge of the console. MRSLOT-10CONFIG and MRSLOT-13CONFIG pre-assign hole locations for mail slots at 3″ from the console edge, front or rear of console must be specified, console up to 48″ wide come with (2) mail slot grommet inserts, 48″ and wider, (3).

3. CC consoles can be fitted with plunger locks. Order LOCK-M and specify which tables.

4. Special impact-resistant (ABS and stainless steel) surfaces are available. Specify which consoles require the special surface.

5. Fixed, vertical partitions can be specified for CS or CC consoles Specify location, spacing and laminate. Partitions can also be field installed by mounting to aluminum channel.

6. To electrify a console, order a pop-up power center and, if necessary, a grommet (MRCBLCO-3).

7. MRDR16-3-20 and MRML-16-S cannot be mounted under CC consoles. Freestanding pedestals and pedestals with casters can only be mounted under CT, CS or CH consoles.

Console Accessories

MODEL #	DESCRIPTION
DR24	For 24″ wide consoles
DR30	For 30″ wide consoles
DR36	For 36″ wide consoles
DR42	For 42″ wide consoles
DR48	For 48″ wide consoles
DR55	For 55″ wide consoles
DR60	For 60″ wide consoles
DR69	For 69″ wide consoles
DR72	For 72″ wide consoles
DR84	For 84″ wide consoles

Straight Side Dump Rims



DR24S

MODEL #	DESCRIPTION
DR24S	24” deep consoles
DR30S	30” deep consoles
DR36S	36” deep consoles
DR48S	48” deep consoles

Angled Side Dump Rims



DR24AS

MODEL #	DESCRIPTION
DR24AS	24″ deep consoles
DR30AS	30″ deep consoles
DR36AS	36″ deep consoles
DR48AS	48″ deep consoles

Straight Side Dump Rims for Module Table



DR11S

MODEL #	DESCRIPTION
DR11S	24″ deep consoles with standard/zip module
DR16S	30″ deep consoles with standard/zip module
DR12S	30″ deep consoles with legal/oversize module
DR22S	36″ deep consoles with standard/zip module
DR18S	36″ deep consoles with legal/oversize module

Angled Side Dump Rims for Module Table



DR11AS

MODEL #	DESCRIPTION
DR11AS	24″ deep consoles with standard/zip module
DR16AS	30″ deep consoles with standard/zip module
DR12AS	30″ deep consoles with legal/oversize module
DR22AS	36″ deep consoles with standard/zip module
DR18AS	36″ deep consoles with legal/oversize module

Dump Rim Brackets



DRB-H

MODEL #	DESCRIPTION
DRB-H	H bracket for dump rims
DRB-L	L bracket for dump rims

Wheels



MODEL #	DESCRIPTION
WHL-50SWB	5″ Swivel wheel with brake

Clip



Cx-Clip

MODEL #	DESCRIPTION
Cx-Clip	2″w console connector

Special Features

MODEL #	DESCRIPTION
WRAP30	Wrapping feature for 30″d console
WRAP36	Wrapping feature for 36″d console
MRSLOT	Paper/mail slot - specify size & location
MRSLOT-10	1.5″x10″ slot w/ plastic grommet - spec. location
MRSLOT-13	2″x13″ slot w/ plastic grommet - spec. location
MRSLOT-10CONFIG*	MRSLOT-10 configuration
MRSLOT-13CONFIG*	MRSLOT-13 configuration
LOCK-M	Plunger lock for CC consoles
ABSwwdd	ABS top (price per square foot)
SSTwwdd	Stainless steel top (price per square foot)

*Slot configurations include two slots on console up to 48″w, three slots on consoles wider than 48″, three slots on. Specify front or back.

Undertable Vertical Partitions

MODEL #	DESCRIPTION
VLPT2430	Partition for ww2430 console
VLPT2436	Partition for ww2436 console
VLPT3030	Partition for ww3030 console
VLPT3036	Partition for ww3036 console
VLPT3630	Partition for ww3630 console
VLPT3636	Partition for ww3636 console
VLPT2430B	Partition for ww2430B console
VLPT2436B	Partition for ww2436B console
VLPT3030B	Partition for ww3030B console
VLPT3036B	Partition for ww3036B console
VLPT3630B	Partition for ww3630B console
VLPT3636B	Partition for ww3636B console

Cable Management

MODEL #	DESCRIPTION
MRCBLR-36	Cable raceway for 36″w console
MRCBLR-48	Cable raceway for 48″w console
MRCBLR-60	Cable raceway for 60″w console
MRCBLR-72	Cable raceway for 72″w console
MRCBLCO-3	3¼″ diameter cable cutout - specify location

Electrical Options & Undertable Accessories



MRRPC-3

MODEL #	DESCRIPTION	WEIGHT
MRMOPS-SP-6	6-outlet power strip (12”L)	n/a
MRRPC-3	Retractable power center	n/a
MRKDADJ	Adj. keyboard drawer	15
MRKDADJM	Adj. keyboard drawer with mouse	16

Undertable Accessories



MRDL16-27

MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
Pencil Drawer				
MRDR16-3-20	20	17 1/8	2 7/8	15
Two-Drawer Suspended Pedestal				
MRML16-S	15 5/8	17 13/16	18 1/2	70
Two-Drawer Pedestal				
MRDL16-27	15 13/16	18 3/4	27	80
MRDL16-33	15 13/16	18 3/4	33	85
Three-Drawer Pedestal				
MRTL16-27	15 13/16	18 3/4	27	85
MRTL16-33	15 13/16	18 3/4	33	90
Two-Drawer Pedestal with Casters				
MRML16-C	15 13/16	18 3/4	20 1/2	80
MRDL16-33-C	15 13/16	18 3/4	32	89
Three-Drawer Pedestal with Casters				
MRTL16-33-C	15 13/16	18 3/4	33	95

Anti-Fatigue Mats


MODEL #	WIDTH	DEPTH	THICKNESS
Comfort Eze			
MR447-2436	24	36	3/8
MR447-3060	30	60	
Marble Sof-Tyle			
MR470-2436	24	36	1/2
MR470-3660	36	60	

Anti-Fatique Mats reduce stress and fatigue to mail-room personnel and are rated for different uses:

PRODUCT	USE	WEAR	ANTI-SLIP	ANTI-FATIGUE
Comfort Eze	Heavy Duty	Superior	Superior	Superior
Sof-Tyle	Heavy Duty	Superior	Fair	Superior

Platform

How to Specify Your Options



E481612M

Extrusion
x = No Extrustion
M = Aluminum Extrusion

Platform | Depth | Extrusion

E 4 8 1 6 1 2 M

Width | Height

Aluminum extrusion required to mount keyboard tray

See page 60 for color codes.

Notes

1. Three-inch high platforms feature a closed front and closed back. They are fastened to the console with a locking cam accessed from outside the platform.

2. Platforms 6″ high and 54″ or wider, with no aluminum extrusion, feature a center support leg.

3. Platforms higher than 6″ are supported with a 2″ fascia across the front.

4. Platform width should equal the width of the console on which it will be used so that it can fasten to the console at both ends.

5. Platforms 12″ or higher may be ordered with front and back aluminum extrusions by adding 'M' to the end of the model number. Twelve inch platforms feature a 5″ back panel and the 18″ h platforms a 8″h back panel. Both have an open area between the back panel and the extrusion for cable management.

6. A keyboard tray may be mounted on the aluminum extrusion platform and positioned anywhere along the width of the extrusion. Keyboards cannot be mounted on platforms without extrusions. Keyboards must be ordered separately (See page 48 and 51).

7. Platforms without aluminum extrusions have full backs with a $1^{3}/_{16}$″ black, cable-management gasket located at the bottom of the back panel.

8. Platforms are shipped knocked down. When getting freight quotes specify Class 85. If dimensions are required, use 6″ for the height and add 3″ to the width and depth for packing materials.

9. Modifications may be made to the width, depth and height

Platforms

3" High Platforms

E361203

MODEL #	WIDTH	DEPTH	WEIGHT
E241203	24 3/4	12 7/8	15
E241603	24 3/4	16 7/8	19
E281203	28 3/4	12 7/8	16
E281603	28 3/4	16 7/8	20
E301203	30	12 7/8	20
E301603	30	16 7/8	23
E361203	36 7/16	12 7/8	23
E361603	36 7/16	16 7/8	23
E421203	42 7/16	12 7/8	24
E421603	42 7/16	16 7/8	25
E481203	48 1/8	12 7/8	23
E481603	48 1/8	16 7/8	28
E551203	56 1/8	12 7/8	28
E551603	56 1/8	16 7/8	32
E601203	59 13/16	12 7/8	29
E601603	59 13/16	16 7/8	34
E691203	69 13/16	12 7/8	31
E691603	69 13/16	16 7/8	37
E721203	71 1/2	12 7/8	32
E721603	71 1/2	16 7/8	39
E841203	83 1/2	12 7/8	36
E841603	83 1/2	16 7/8	43

6" High Platforms

E361206

MODEL #	WIDTH	DEPTH	WEIGHT
E241206	24 3/4	12 7/8	15
E241606	24 3/4	16 7/8	19
E281206	28 3/4	12 7/8	16
E281606	28 3/4	16 7/8	20
E301206	30	12 7/8	20
E301606	30	16 7/8	23
E361206	36 7/16	12 7/8	23
E361606	36 7/16	16 7/8	23
E421206	42 7/16	12 7/8	24
E421606	42 7/16	16 7/8	25
E481206	48 1/8	12 7/8	23
E481606	48 1/8	16 7/8	28
E551206	56 1/8	12 7/8	28
E551606	56 1/8	16 7/8	32
E601206	59 13/16	12 7/8	29
E601606	59 13/16	16 7/8	34
E691206	69 13/16	12 7/8	31
E691606	69 13/16	16 7/8	37
E721206	71 1/2	12 7/8	32
E721606	71 1/2	16 7/8	39
E841206	83 1/2	12 7/8	36
E841606	83 1/2	16 7/8	43

Options

MODIFICATION	MODEL # CHANGE
Drill top for wire dividers	EwwddhhD

Aluminum extrusion option not available on 3" and 6" high platforms.

12" High Platforms



E301612

MODEL #	WIDTH	DEPTH	WEIGHT
E241212	24 3/4	12 7/8	22
E241612	24 3/4	16 7/8	25
E281212	28 3/4	12 7/8	25
E281612	28 3/4	16 7/8	28
E301212	30	12 7/8	26
E301612	30	16 7/8	31
E361212	36 7/16	12 7/8	26
E361612	36 7/16	16 7/8	31
E421212	42 7/16	12 7/8	33
E421612	42 7/16	16 7/8	33
E481212	48 1/8	12 7/8	31
E481612	48 1/8	16 7/8	36
E551212	56 1/8	12 7/8	44
E551612	56 1/8	16 7/8	44
E601212	59 13/16	12 7/8	40
E601612	59 13/16	16 7/8	46
E691212	69 13/16	12 7/8	45
E691612	69 13/16	16 7/8	51
E721212	71 1/2	12 7/8	44
E721612	71 1/2	16 7/8	53
E841212	83 1/2	12 7/8	50
E841612	83 1/2	16 7/8	58

18" High Platforms



E361618

MODEL #	WIDTH	DEPTH	WEIGHT
E241218	24 3/4	12 7/8	28
E241618	24 3/4	16 7/8	32
E281218	28 3/4	12 7/8	31
E281618	28 3/4	16 7/8	34
E301218	30	12 7/8	33
E301618	30	16 7/8	39
E361218	36 7/16	12 7/8	33
E361618	36 7/16	16 7/8	39
E421218	42 7/16	12 7/8	42
E421618	42 7/16	16 7/8	42
E481218	48 1/8	12 7/8	39
E481618	48 1/8	16 7/8	45
E551218	56 1/8	12 7/8	57
E551618	56 1/8	16 7/8	57
E601218	59 13/16	12 7/8	51
E601618	59 13/16	16 7/8	58
E691218	69 13/16	12 7/8	56

18" High Platforms (con't.)

MODEL #	WIDTH	DEPTH	WEIGHT
E691618	69 13/16	16 7/8	64
E721218	71 1/2	12 7/8	56
E721618	71 1/2	16 7/8	66
E841218	83 1/2	12 7/8	63
E841618	83 1/2	16 7/8	74

Options

MODIFICATION	MODEL # CHANGE
Aluminum extrusion platform	EwwddhhM
Drill top for wire dividers	EwwddhhD

Aluminum extrusion option adds 3/4" to the overall depth of the platform.

24" High Platforms



E351224

MODEL #	WIDTH	DEPTH	WEIGHT
E241224	24 3/4	12 7/8	33
E241624	24 3/4	16 7/8	39
E281224	28 3/4	12 7/8	38
E281624	28 3/4	16 7/8	41
E301224	30	12 7/8	40
E301624	30	16 7/8	46
E361224	36 7/16	12 7/8	43
E361624	36 7/16	16 7/8	48
E421224	42 7/16	12 7/8	45
E421624	42 7/16	16 7/8	52
E481224	48 1/8	12 7/8	46
E481624	48 1/8	16 7/8	54
E551224	56 1/8	12 7/8	70
E551624	56 1/8	16 7/8	70
E601224	59 13/16	12 7/8	62
E601624	59 13/16	16 7/8	70
E691224	69 13/16	12 7/8	68
E691624	69 13/16	16 7/8	77
E721224	71 1/2	12 7/8	68
E721624	71 1/2	16 7/8	79
E841224	83 1/2	12 7/8	76
E841624	83 1/2	16 7/8	89

Options

MODIFICATION	MODEL # CHANGE
Aluminum extrusion platform	EwwddhhM
Drill top for wire dividers	EwwddhhD

Aluminum extrusion option adds 3/4" to the overall depth of the platform.

Platform Accessories




MRUSTL-24

MODEL #	DESCRIPTION	WEIGHT
MRKDADJ	Adj. keyboard drawer	15
MRKDADJM	Adj. keyboard drawer with mouse	16
MRUSTL-24	18" black undersurface task light	10
MRTBwwhh	Tackboard (per sq. foot)	n/a

Executive Series Consoles

How to Specify Your Options



Legs

Model	Description
HR	Half right leg
HL	Half left leg
HLHR	Half left/half right

EXECUTIVE CONSOLE

Executive Series | Width | Height | Legs

E M T 3 6 2 4 3 0 F H R

Shelf
T = Table without Shelf
S = Table with Shelf

Depth

Modesty Panel

Modesty Panel

Model	Description
x	Standard Modesty
F	Full Modesty

Locks

Model	Description
B	Black locks
S	Silver locks
X	No locks

EXECUTIVE CONSOLE WITH SHELF

Executive Series | Width | Height | Locks

E M S 3 6 2 4 3 0 S Y F C

Shelf
T = Table without Shelf
S = Table with Shelf

Depth

Sliding Doors

Handle Options

Sliding Doors

Model	Description
x	No doors
S	Sliding doors

Handle Options†


Model	Description
AA	Wire Pull Satin Nickel
AB	Wire Pull Black
AC	Modern Pull - Satin Nickel
AD	Modern Pull - Matte Black
AE	Bow Pull - Matte Black
AF	Square Pull - Satin Nickel
AG	Square Pull - Matte Black
AH	Square Pull - Dark Pewter
AI	Bar Pull - 6" Matte Black
AJ	Tab Pull - 3" Satin Nickel
AK	Tab Pull - 3" Matte Black
AL	Tab Pull - 6" Satin Nickel
AM	Tab Pull - 6" Matte Black
AN	Rectangular Knob Satin Nickel
AO	Inset Handle Brushed Nickel Bar
AP	Pull - 8" Matte Black
AQ	Bar Pull - 10" Matte Black
AR	Wire Pull - Antibacterial
AS	Push to Open - No Handle
SL	Contemporary Stainless - 16"
SS	Contemporary Stainless - 6"

†Recessed and bar not available on all units.

See page 60 for color codes.

Executive Series Consoles (con't.)

EXECUTIVE OVERHEAD



Handle Options†

Model	Description
AA	Wire Pull Satin Nickel
AB	Wire Pull Black
AC	Modern Pull - Satin Nickel
AD	Modern Pull - Matte Black
AE	Bow Pull - Matte Black
AF	Square Pull - Satin Nickel
AG	Square Pull - Matte Black
AH	Square Pull - Dark Pewter
AI	Bar Pull - 6" Matte Black
AJ	Tab Pull - 3" Satin Nickel
AK	Tab Pull - 3" Matte Black
AL	Tab Pull - 6" Satin Nickel
AM	Tab Pull - 6" Matte Black
AN	Rectangular Knob Satin Nickel
AO	Inset Handle Brushed Nickel Bar
AP	Pull - 8" Matte Black
AQ	Bar Pull - 10" Matte Black
AR	Wire Pull - Antibacterial
AS	Push to Open - No Handle
SL	Contemporary Stainless - 16"
SS	Contemporary Stainless - 6"

†Recessed and bar not available on all units.

Console Notes

1. Executive Consoles are light-use equipment with no aluminum extrusions and are not intended for general mail center use.

2. The standard modesty panel in an EMT Console is 15¾"h. A full modesty panel can be ordered by adding 'F' to the end of the model number.

3. When using modules on EMT Consoles, use a full modesty panel for extra support.

4. EMS Consoles feature a full-depth shelf located 3" above the floo . Clearance between the shelf and worksurface is 24".

5. Grommets are not standard in Executive Mail Consoles. Order MRCBLCO-3 and specify a grommet location.

6. Counter Consoles include a 30"d, 29½"h workstations and a 16"d counter surface with a radius edge.

7. Credenzas feature one set of doors on units up to 48" wide and two sets of doors on wider units.

8. Credenza doors come standard with handles.

9. Credenzas also feature a recessed 3" kickplate and one adjustable shelf per section.

10.Executive Consoles are shipped knocked down. Specify Class 85 when obtaining freight quotes. If dimensions are required, use 10" for the height and add 3" to the depth and width of the table for packing materials.

11.Modifications to EM and EMS consoles may be made to the width, depth, height, and the position of the modesty panel.

Overhead Notes

1. All overhead units 42" and wider have two sections. 36" units have one section.

2. Overhead units feature 18" clearance between the worksurface and the bottom fascia.

3. Overhead Storage Cabinets have hinged doors and 26" clearance between the shelves (20" if optional 24" clearance is specified) One adjustable shelf per section is included.

4. Overhead Storage Units are drilled every 2½" for wire dividers. Units include 18-36 dividers, based on the width of the unit.

5. Overhead Storage Units feature a 1 3/16" black cable management gasket positioned at the bottom of the back panel.

6. Clearance between shelves is 12" on Overhead Storage Units with Retractable Doors, 14" without doors.

7. Usable depth of bottom shelf on Overhead Storage Units with Retractable Doors is 12⅞".

8. Optional open-back units are open only below bottom shelf.

9. Task lights and tackboards can be installed in lower area of overhead units.

10.All overhead units are shipped fully assembled. Use Class 100 when obtaining freight quotes. If dimensions are required, add 3" to each dimension for packing materials.

Executive Series Consoles

24" Deep Space Saver without Shelf



EMT302430

MODEL #	WIDTH	HEIGHT	WEIGHT
EMT242430	24 3/4	29 1/2	76
EMT282430	28 3/4	29 1/2	89
EMT302430	30	29 1/2	90
EMT362430	36 7/16	29 1/2	105
EMT422430	42 7/16	29 1/2	114
EMT482430	48 1/8	29 1/2	123
EMT552430	56 1/8	29 1/2	137
EMT602430	59 13/16	29 1/2	141
EMT692430	69 13/16	29 1/2	155
EMT722430	71 1/2	29 1/2	159

30" Deep Space Saver without Shelf



EMT303030

MODEL #	WIDTH	HEIGHT	WEIGHT
EMT243030	24 3/4	29 1/2	88
EMT283030	28 3/4	29 1/2	92
EMT303030	30	29 1/2	96
EMT363030	36 7/16	29 1/2	92
EMT423030	42 7/16	29 1/2	100
EMT483030	48 1/8	29 1/2	107
EMT553030	56 1/8	29 1/2	119
EMT603030	59 13/16	29 1/2	123
EMT693030	69 13/16	29 1/2	135
EMT723030	71 1/2	29 1/2	142

Options

MODIFICATION	MODEL # CHANGE
Full modesty panel	EMTwwdd30F
Half right leg	EMTwwdd30Hr
Half left leg	EMTwwdd30Hl
Both half legs	EMTwwdd30Hl Hr


24" Deep Space Saver with Shelf



EMS302430

MODEL #	WIDTH	HEIGHT	WEIGHT
EMS362430	36 7/16	29 1/2	123
EMS422430	42 7/16	29 1/2	135
EMS482430	48 1/8	29 1/2	145
EMS552430	56 1/8	29 1/2	157
EMS602430	59 13/16	29 1/2	169
EMS692430	69 13/16	29 1/2	187
EMS722430	71 1/2	29 1/2	189

30" Deep Space Saver with Shelf



EMS423030

MODEL #	WIDTH	HEIGHT	WEIGHT
EMS363030	36 7/16	29 1/2	142
EMS423030	42 7/16	29 1/2	156
EMS483030	48 1/8	29 1/2	169

30" Deep Space Saver with Shelf (con't.)

MODEL #	WIDTH	HEIGHT	WEIGHT
EMS553030	56 1/8	29 1/2	183
EMS603030	59 13/16	29 1/2	196
EMS663030	69 13/16	29 1/2	217
EMS723030	71 1/2	29 1/2	219

Options

MODIFICATION	MODEL # CHANGE
Sliding doors	EMSwwdd30S

Corner Consoles



EMT4242FHcF

MODEL #	WIDTH	DEPTHT	HEIGHT	WEIGHT
For use with 24"d returns				
EMT4242FHcF	42	42	29 1/2	140
For use with 30"d returns				
EMT4848FHcF	48	48	29 1/2	160

For returns, order Executive console with half-legs.


Counter Consoles



EC483042

MODEL #	WIDTH	DEPTHT	HEIGHT	WEIGHT
EC483042	48	30	42	206
EC603042	60	30	42	231
EC723042	72	30	42	321

24" Deep Space Saver Credenza



EMC362430

MODEL #	WIDTH	HEIGHT	WEIGHT
EMC362430	36 7/16	29 1/2	184
EMC422430	42 7/16	29 1/2	200
EMC482430	48 1/8	29 1/2	214
EMC552430	56 1/8	29 1/2	238
EMC602430	59 13/16	29 1/2	246
EMC692430	69 13/16	29 1/2	270
EMC722430	71 1/2	29 1/2	280

Add 'Sl' to the end of the model number for pre-drilled mail slots at no upcharge. Contact HAMILTON for modification charges for EMC consoles

30" Deep Space Saver Credenza



EMC363030

MODEL #	WIDTH	HEIGHT	WEIGHT
EMC363030	36 7/16	29 1/2	210
EMC423030	42 7/16	29 1/2	228
EMC483030	48 1/8	29 1/2	246
EMC553030	56 1/8	29 1/2	274
EMC603030	59 13/16	29 1/2	282
EMC693030	69 13/16	29 1/2	310
EMC723030	71 1/2	29 1/2	320

Add 'Sl' to the end of the model number for pre-drilled mail slots at no upcharge. contact HAMILTON for modification charges for EMC consoles

Overhead Storage Units with Hinged Doors



MOHD42-18

MODEL #	WIDTH	DEPTH	WEIGHT
MOHD36-18	36 7/16	16	150
MOHD42-18	42 7/16	16	175
MOHD48-18	48 1/8	16	180
MOHD55-18	56 1/8	16	185
MOHD60-18	59 13/16	16	190
MOHD69-18	69 13/16	16	195
MOHD72-18	71 1/2	16	200

All overhead storage units with hinged doors are 48″ high.

Options

MODIFICATION	MODEL # CHANGE
24″ clearance	MOHDww-24

Overhead Storage Units with no Doors



MOND42CB

MODEL #	WIDTH	DEPTH	WEIGHT
MOND36CB	36 7/16	15	100
MOND42CB	42 7/16	15	110
MOND48CB	48 1/8	15	120
MOND55CB	56 1/8	15	135
MOND60CB	59 13/16	15	140
MOND69CB	69 13/16	15	155
MOND72CB	71 1/2	15	160

All overhead storage units with no doors are 36″ high.

Overhead Storage Units w/ Retractable Doors



MORD42CB

MODEL #	WIDTH	DEPTH	WEIGHT
MORD36CB	36 7/16	15	120
MORD42CB	42 7/16	15	131
MORD48CB	48 1/8	15	142
MORD55CB	56 1/8	15	159
MORD60CB	59 13/16	15	165
MORD69CB	69 13/16	15	182
MORD72CB	71 1/2	15	187

All overhead storage units with retractable doors are 36″ high.

Options

MODIFICATION	MODEL # CHANGE
No lower back	MOx DwwNB

Accessories



MCRSVD

MODEL #	DESCRIPTION
MRUSTL-24	18” black undersurface task light
MRUSTLARM	Swivel-arm task light
MRTBwwhh	Tackboard (per square foot)
MRSVD	12 Wire dividers

Two-Drawer Lateral Files



MRLF

MODEL #	WIDTH	HEIGHT	WEIGHT
MRLF262028	25 5/8	28	150
MRLF262030	25 5/8	29 1/2	154
MRLF362028	36 1/8	28	171
MRLF362030	36 1/8	29 1/2	175

All lateral files have a depth of 20″.

Three-Drawer Lateral Files



MRLF

MODEL #	WIDTH	HEIGHT	WEIGHT
MRLF262043	25 1/2	42 1/2	190
MRLF362043	36	42 1/2	200

All lateral files have a depth of 20″.

Four-Drawer Lateral Files



MRLF

MODEL #	WIDTH	HEIGHT	WEIGHT
MRLF262060	25 1/2	61 1/2	234
MRLF362060	36	61 1/2	261

All lateral files have a depth of 20″.

Personal Files



MLFMP

MODEL #	WIDTH	HEIGHT	WEIGHT
MLFMP282028L	28 11/16	28	210
MLFMP282028R	28 11/16	28	210

All lateral files ha e a depth of 18 1/2″.

Undertable Accessories



MRDL16-27



MRTL16-29

MODEL #	WIDTH	DEPTH	HEIGHT	WEIGHT
Pencil Drawer				
MRDR16-3-20	20	17 1/8	2 7/8	15
Two-Drawer Suspended Pedestal				
MRML16-S	15 9/16	17 13/16	18 1/2	70
Two-Drawer Pedestal				
MRDL16-29	15 13/16	18 3/4	28	90
Three-Drawer Pedestal				
MRTL16-29	15 13/16	18 3/4	28	85
Two-Drawer Pedestal with Casters				
MRDL16-29-C	15 13/16	18 3/4	28	85
Three-Drawer Pedestal with Casters				
MRTL16-29-C	15 13/16	18 3/4	28	90

Bookcases




MBC

MODEL #	WIDTH	HEIGHT	SHELVES	WEIGHT
MBC301830	30	30	1	94
MBC361830	36	30	1	108
MBC301836	30	36	2	105
MBC361836	36	36	2	121
MBC301842	30	42	2	127
MBC361842	36	42	2	146
MBC301860	30	60	3	148
MBC361860	36	60	3	171
MBC301872	30	72	4	181
MBC361872	36	72	4	208

All bookcases have a depth of 18. Shelves are 16″ deep to accommodate binder and printout storage.

Executive Series Mail Stations

How to Specify Your Options



EMC362430SL

EXECUTIVE CREDENZA

Locks

Model	Description
Blank	No locks
Y	Locks

Executive Series	Width		Height			Locks		
E	M	C	3 6	2 4	3 0	S	Y	E L
		Credenza		Depth		Mail Slots		Handle Options

Handle Options†

Model	Description
AA	Wire Pull Satin Nickel
AB	Wire Pull Black
AC	Modern Pull - Satin Nickel
AD	Modern Pull - Matte Black
AE	Bow Pull - Matte Black
AF	Square Pull - Satin Nickel
AG	Square Pull - Matte Black
AH	Square Pull - Dark Pewter
AI	Bar Pull - 6" Matte Black
AJ	Tab Pull - 3" Satin Nickel
AK	Tab Pull - 3" Matte Black
AL	Tab Pull - 6" Satin Nickel
AM	Tab Pull - 6" Matte Black
AN	Rectangular Knob Satin Nickel
AO	Inset Handle Brushed Nickel Bar
AP	Pull - 8" Matte Black
AQ	Bar Pull - 10" Matte Black
AR	Wire Pull - Antibacterial
AS	Push to Open - No Handle
SL	Contemporary Stainless - 16"
SS	Contemporary Stainless - 6"

†Recessed and bar not available on all units.

See page 60 for color codes.

Notes

1. Executive Mail Stations are light-use equipment with no aluminum extrusions and are not intended for general mail center use.

2. Modules attach to consoles with double-faced adhesive tape.

3. Consoles feature one set of doors on units up to 48" wide and two sets of doors on wider units.

4. Consoles doors come standard with black handles and a 1½" x 10" mail slot.

5. Consoles also features a recessed 3" kickplate and one adjustable shelf per section.

6. Executive Mail Station consoles are shipped assembled. Specify Class 100 when obtaining freight quotes. If dimensions are required, use 10" for the height and add 3" to the depth and width of the console for packing materials. See page 5 for module freight quote information.

Executive Mail Stations

24" Deep Space Saver Credenza



EMC362430

MODEL #	WIDTH	HEIGHT	WEIGHT
EMC362430SL	36 7/16	29 1/2	184
EMC422430SL	42 7/16	29 1/2	200
EMC482430SL	48 1/8	29 1/2	214
EMC552430SL	56 1/8	29 1/2	238
EMC602430SL	59 13/16	29 1/2	246
EMC692430SL	69 13/16	29 1/2	270
EMC722430SL	71 1/2	29 1/2	280

30" Deep Space Saver Credenza



EMC363030SL

MODEL #	WIDTH	HEIGHT	WEIGHT
EMC363030SL	36 7/16	29 1/2	210
EMC423030SL	42 7/16	29 1/2	228
EMC483030SL	48 1/8	29 1/2	246
EMC553030SL	56 1/8	29 1/2	274
EMC603030SL	59 13/16	29 1/2	282
EMC693030SL	69 13/16	29 1/2	310
EMC723030SL	71 1/2	29 1/2	320

SL, mail slot option, is a non-contract option available at no additional charge. Price reflects console with mail slot only.

Cable Management



MRCBLR

MODEL #	DESCRIPTION
MRCBLR-36	Cable raceway for 36"w console
MRCBLR-48	Cable raceway for 48"w console
MRCBLR-60	Cable raceway for 60"w console
MRCBLR-72	Cable raceway for 72"w console
MRCBLCO-3	3 1/4 diameter cable cutout

Electrical Options



MRRPC-3

MODEL #	DESCRIPTION
MRMOPS-SP-6	6-outlet power strip 12"
MRRPC-3	Retractable power center

STANDARD AVAILABILITY

Type	Color	Number	Textured	TFL	HPL	MasterSeries	Glass Doors	Crossgrain
Solid	Designer White	D354-60		Y	Y	Y	Y	
Solid	Linen	D427-60		Y	Y	Y	Y	
Solid	Grey	1500-60		Y	Y	Y	Y	
Solid	Dove Grey	D92-60		Y	Y	Y	Y	
Solid	Black	1595-60		Y	Y	Y	Y	

*upcharge may apply
Contact Customer Service for additional material options.
Matching PVC edgeband is available for all HAMILTON standard finishes.
*Other laminates available upon request.

Green Initiatives

Hamilton Casework Solutions offer GREENGUARD Gold certified products to provide safe, quality, environmentally friendly workspaces. FSC and OSHPD certified components are also available as specified by a designer.

Our approach to sustainability is in line with everything else that we do at HAMILTON. We are deeply committed to delivering to your project's needs and providing the perfect fit, every time. For many clients, a comprehensive solution means pursuing green initiatives.

We embrace the sustainability concerns that our clients bring to us by:

• Conducting the research necessary to find goods currently available on the market that are compliant
We are casework experts. We are always on the lookout for innovative new materials in our area of specialty.

• Partnering with clients to form a strategy
We encourage our clients to identify and discuss their sustainability intentions with us so that we can ensure Hamilton components help them achieve their targeted goals. The earlier you involve us in the planning of your project, the more we can help.

• Brainstorming for solutions
We have tremendous practical knowledge and our design studio is located yards away from the factory floor. We can accommodate your green initiatives while maintaining the design integrity of the project.

Sustainability Guidelines

HAMILTON will provide proper documentation for the rating system of your choice. We have extensive experience with LEED, and have obtained a Declare label for our products. We are active with current sustainability efforts in the A&D community like Environmental Product Declarations (EPD) .

• Our product is found in CSI Division 12, under 12 32 16 Manufactured Plastic-Laminate-Clad Casework and 12 35 36 Mailroom Casework.

• The HAMILTON modular casework product is an “assembly,” project specific documentation includ-ing material percentage by weight provided upon request.

• All HAMILTON products contain recycled content, and may contribute to regional credits depending on project location.

• HAMILTON products do not require adhesives or sealants to be applied on-site, and all shop applied laminating adhesives contain No Added Urea Formaldehyde (NAUF).

• HAMILTON is FSC Chain of Custody certified. Upon request, our casework products can be ordered to comply with FSC requirements.

• All HAMILTON products are GREENGUARD Gold Certified to comply with the ANSI/BIFMA standards, and can be ordered to comply with NAUF and ULEF requirements.

HAMILTON sustainability experts will provide consultation every step of the way to facilitate the success of your project.

Limited Lifetime Warranty

Hamilton Casework Solutions ("HAMILTON") warrants to the original retail purchaser that HAMILTON Products purchased on or after January 1, 1996 will be free from defects in material and workmanship for as long as the original retail purchaser owns such HAMILTON Product, except for the following, which are warranted only as to the HAMILTON Product components of the items (HAMILTON expressly disclosing any warranty, express or implied, on hardware, electronics or other specialty components specified by a HAMILTON customer but not manufactured by HAMILTON) and for a period of three years from the date of purchase as shown on the HAMILTON Sales Order: Tack board fabric, task lights, casters, carts, adjustable keyboards and module shelf standard as well as any powder coated item. This warranty is made solely to the original retail purchaser, is non-transferable and shall be effective from the date of purchase as shown on the HAMILTON Sales Order. This warranty is void for any damages to the HAMILTON Product due to misuse, abuse, neglect, accident, improper installation, failure to comply with instructions furnished by HAMILTON or any repair or alteration performed by anyone other than HAMILTON or an authorized HAMILTON dealer. Damage caused by common carrier during shipment is not included in this warranty.

THIS FOREGOING WARRANTY IS IN LIEU OF, AND HAMILTON EXPRESSLY DISCLAIMS ALL OTHER, WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED. IN NO EVENT SHALL HAMILTON BE LIABLE TO ANY RETAIL PURCHASER OR USER OF HAMILTON PRODUCTS OR ANY THIRD PARTY FOR CONSEQUENTIAL, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, PUNITIVE OR ENHANCED DAMAGES, LOST PROFITS OR REVENUES OR DIMINUTION IN VALUE ARISING OUT OF THE PURCHASE, SALE OR USE OF HAMILTON PRODUCTS, REGARDLESS OF WHETHER SUCH DAMAGES WERE FORSEEABLE, WHETHER OR NOT HAMILTON WAS ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND THE LEGAL OR EQUITABLE THEORY ON WHICH THE CLAIM IS MADE.

Hamilton Casework Solutions offer GREENGUARD Gold certified products to provide safe, quality, environmentally friendly workspaces. FSC and OSHPD certified components are also available as specified by a designer.

3158 Production Drive
Fairfield, OH 45014
Phone: 800.503.9966
Fax: 800.503.9963
hamiltoncs.com

HAMILTON
CASEWORK SOLUTIONS